

Database Management Systems

Madhavan Mukund

<https://www.cmi.ac.in/~madhavan>

Lecture 4, 13 October 2023

- “Programming language” for relational algebra
 - System R project of IBM
 - Sequel \rightsquigarrow SQL (Structured Query Language)
- Data definition — describing relational schema
- Data manipulation — populating and modifying rows in tables
- Querying tables — select, project, join, ...

$\sigma, \pi, \bowtie, \cup, \cap,$

Data definition in SQL

- `create table` tablename

(column1 type1,
column2 type2,
...
columnk typek)

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Data definition in SQL

- `create table` tablename

(column1 type1,
column2 type2,
...
columnk typek)

```
create table instructor  
(ID char(5),  
name char(20),  
dept_name char(20),  
salary real  
) ;
```

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Data definition in SQL

- Variety of datatypes

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Data definition in SQL

■ Variety of datatypes

- `varchar(n)` — varying length character string with upper bound
- `numeric(p,d)` — fixed precision float, `p` digits, `d` after decimal point

MySQL - text

```
create table instructor  
(ID varchar(5),  
name varchar(20),  
dept_name varchar(20),  
salary numeric(8,2)  
)
```

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Data definition in SQL

- Add constraints on values

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Data definition in SQL

- Add constraints on values
 - Force non-`null` name
 - Minimum amount for `salary`

```
create table instructor
(ID varchar(5),
 name varchar(20) not null,
 dept_name varchar(20),
 salary numeric(8,2)
   check (salary > 29000)
)
```

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Data definition in SQL

- Add information about keys

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Data definition in SQL

- Add information about keys

- `ID` is a primary key

```
create table instructor
(ID varchar(5),
 name varchar(20) not null,
 dept_name varchar(20),
 salary numeric(8,2)
    check (salary > 29000),
 primary key (ID),
)
```

Implicitly not null

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Data definition in SQL

- Add information about keys
 - `ID` is a primary key
 - `dept_name` is a foreign key

```
create table instructor
(ID varchar(5),
 name varchar(20) not null,
 dept_name varchar(20),
 salary numeric(8,2)
    check (salary > 29000),
 primary key (ID),
 foreign key (dept_name)
 references
 department (dept_name)
```

Another
table

Instr_

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Data definition in SQL

```
create table section
(course_id varchar(8),
 sec_id  varchar(8),
 semester varchar(6)
 check (semester in
 ('Fall', 'Winter', 'Spring', 'Summer')),
 year  numeric(4,0)
 check (year > 1701 and year < 2100),
 building varchar(15),
 room_number varchar(7),
 time_slot_id varchar(4),
 primary key
 (course_id, sec_id, semester, year),
 foreign key (course_id)
 references course (course_id)
 foreign key (building, room_number)
 references
 classroom (building, room_number)
);
```

semester ('Fall', '-', 'Summer');


Can collapse into
single enumerated by

course_id	sec_id	semester	year	building	room_number	time_slot_id
BIO-101	1	Summer	2017	Painter	514	B
BIO-301	1	Summer	2018	Painter	514	A
CS-101	1	Fall	2017	Packard	101	H
CS-101	1	Spring	2018	Packard	101	F
CS-190	1	Spring	2017	Taylor	3128	E
CS-190	2	Spring	2017	Taylor	3128	A
CS-315	1	Spring	2018	Watson	120	D
CS-319	1	Spring	2018	Watson	100	B
CS-319	2	Spring	2018	Taylor	3128	C
CS-347	1	Fall	2017	Taylor	3128	A
EE-181	1	Spring	2017	Taylor	3128	C
FIN-201	1	Spring	2018	Packard	101	B
HIS-351	1	Spring	2018	Painter	514	C
MU-199	1	Spring	2018	Packard	101	D
PHY-101	1	Fall	2017	Watson	100	A

section

Data definition in SQL

```
create table teaches
(ID varchar(5),
 course_id varchar(8),
 sec_id varchar(8),
 semester varchar(6),
 year numeric(4,0),
 primary key
 (ID, course_id, sec_id, semester, year),
 foreign key
 (course_id, sec_id, semester, year)
 references
 section (course_id, sec_id, semester, year)
 foreign key (ID)
 references instructor (ID)
);
```



<i>ID</i>	<i>course_id</i>	<i>sec_id</i>	<i>semester</i>	<i>year</i>
10101	CS-101	1	Fall	2017
10101	CS-315	1	Spring	2018
10101	CS-347	1	Fall	2017
12121	FIN-201	1	Spring	2018
15151	MU-199	1	Spring	2018
22222	PHY-101	1	Fall	2017
32343	HIS-351	1	Spring	2018
45565	CS-101	1	Spring	2018
45565	CS-319	1	Spring	2018
76766	BIO-101	1	Summer	2017
76766	BIO-301	1	Summer	2018
83821	CS-190	1	Spring	2017
83821	CS-190	2	Spring	2017
83821	CS-319	2	Spring	2018
98345	EE-181	1	Spring	2017

teaches

Updating tables in SQL

- Add a row to a table

```
insert into instructor
  values('10101', 'Srinivasan',
        'Comp. Sci.', '65000');
```

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Updating tables in SQL

- Add a row to a table

```
insert into instructor
  values('10101', 'Srinivasan',
        'Comp. Sci.', '65000');
```

- Without needing to remember column order

```
insert into instructor
  (name, id, salary, dept_name)
  values
  ('Wu', '12121', '90000', 'Finance');
```

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Updating tables in SQL

- Add a row to a table

```
insert into instructor
  values('10101', 'Srinivasan',
        'Comp. Sci.', '65000');
```

- Without needing to remember column order

```
insert into instructor
  (name, id, salary, dept_name)
  values
  ('Wu', '12121', '90000', 'Finance');
```

- Note the quotation marks

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Updating tables in SQL

- Delete all rows

```
delete from instructor
```

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Updating tables in SQL

- Delete all rows

```
delete from instructor
```

- Delete selected rows

```
delete from instructor  
  where name = 'Srinivasan'
```

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Updating tables in SQL

- Delete all rows

```
delete from instructor
```

- Delete selected rows

```
delete from instructor
```

```
  where name = 'Srinivasan'
```

```
delete from instructor
```

```
  where dept = 'Physics'
```

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Queries in SQL

- `select` columns
 `from` table
 `where` condition

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

Queries in SQL

- `select` columns
 `from` table
 `where` condition
- ```
select name
from instructor
where dept_name = "Physics"
```

| <i>ID</i> | <i>name</i> | <i>dept_name</i> | <i>salary</i> |
|-----------|-------------|------------------|---------------|
| 10101     | Srinivasan  | Comp. Sci.       | 65000         |
| 12121     | Wu          | Finance          | 90000         |
| 15151     | Mozart      | Music            | 40000         |
| 22222     | Einstein    | Physics          | 95000         |
| 32343     | El Said     | History          | 60000         |
| 33456     | Gold        | Physics          | 87000         |
| 45565     | Katz        | Comp. Sci.       | 75000         |
| 58583     | Califieri   | History          | 62000         |
| 76543     | Singh       | Finance          | 80000         |
| 76766     | Crick       | Biology          | 72000         |
| 83821     | Brandt      | Comp. Sci.       | 92000         |
| 98345     | Kim         | Elec. Eng.       | 80000         |

# Queries in SQL

- `select` columns  
    `from` table  
    `where` condition  
  
`select name`  
    `from instructor`  
    `where dept_name = "Physics"`
- SQL `select` combines  $\sigma$  and  $\pi$  of relational algebra

| <i>ID</i> | <i>name</i> | <i>dept_name</i> | <i>salary</i> |
|-----------|-------------|------------------|---------------|
| 10101     | Srinivasan  | Comp. Sci.       | 65000         |
| 12121     | Wu          | Finance          | 90000         |
| 15151     | Mozart      | Music            | 40000         |
| 22222     | Einstein    | Physics          | 95000         |
| 32343     | El Said     | History          | 60000         |
| 33456     | Gold        | Physics          | 87000         |
| 45565     | Katz        | Comp. Sci.       | 75000         |
| 58583     | Califieri   | History          | 62000         |
| 76543     | Singh       | Finance          | 80000         |
| 76766     | Crick       | Biology          | 72000         |
| 83821     | Brandt      | Comp. Sci.       | 92000         |
| 98345     | Kim         | Elec. Eng.       | 80000         |

# Queries in SQL

- `select` columns  
    `from` table  
    `where` condition  
  
`select name`  
    `from instructor`  
    `where dept_name = "Physics"`

- SQL `select` combines  $\sigma$  and  $\pi$  of relational algebra  
  
`select ID,name`  
    `from instructor`  
    `where dept_name = "Physics"`  
    `and salary > 90000`

| <i>ID</i> | <i>name</i> | <i>dept_name</i> | <i>salary</i> |
|-----------|-------------|------------------|---------------|
| 10101     | Srinivasan  | Comp. Sci.       | 65000         |
| 12121     | Wu          | Finance          | 90000         |
| 15151     | Mozart      | Music            | 40000         |
| 22222     | Einstein    | Physics          | 95000         |
| 32343     | El Said     | History          | 60000         |
| 33456     | Gold        | Physics          | 87000         |
| 45565     | Katz        | Comp. Sci.       | 75000         |
| 58583     | Califieri   | History          | 62000         |
| 76543     | Singh       | Finance          | 80000         |
| 76766     | Crick       | Biology          | 72000         |
| 83821     | Brandt      | Comp. Sci.       | 92000         |
| 98345     | Kim         | Elec. Eng.       | 80000         |

# Queries in SQL

- `select` does not eliminate duplicates

```
select dept_name
from instructor
```

| <i>ID</i> | <i>name</i> | <i>dept_name</i> | <i>salary</i> |
|-----------|-------------|------------------|---------------|
| 10101     | Srinivasan  | Comp. Sci.       | 65000         |
| 12121     | Wu          | Finance          | 90000         |
| 15151     | Mozart      | Music            | 40000         |
| 22222     | Einstein    | Physics          | 95000         |
| 32343     | El Said     | History          | 60000         |
| 33456     | Gold        | Physics          | 87000         |
| 45565     | Katz        | Comp. Sci.       | 75000         |
| 58583     | Califieri   | History          | 62000         |
| 76543     | Singh       | Finance          | 80000         |
| 76766     | Crick       | Biology          | 72000         |
| 83821     | Brandt      | Comp. Sci.       | 92000         |
| 98345     | Kim         | Elec. Eng.       | 80000         |



# Queries in SQL

- `select` does not eliminate duplicates

```
select dept_name
from instructor
```

- Explicitly specify that duplicates should be removed — additional computation, so avoid if not needed

```
select distinct dept_name
from instructor
```

| <i>ID</i> | <i>name</i> | <i>dept_name</i> | <i>salary</i> |
|-----------|-------------|------------------|---------------|
| 10101     | Srinivasan  | Comp. Sci.       | 65000         |
| 12121     | Wu          | Finance          | 90000         |
| 15151     | Mozart      | Music            | 40000         |
| 22222     | Einstein    | Physics          | 95000         |
| 32343     | El Said     | History          | 60000         |
| 33456     | Gold        | Physics          | 87000         |
| 45565     | Katz        | Comp. Sci.       | 75000         |
| 58583     | Califieri   | History          | 62000         |
| 76543     | Singh       | Finance          | 80000         |
| 76766     | Crick       | Biology          | 72000         |
| 83821     | Brandt      | Comp. Sci.       | 92000         |
| 98345     | Kim         | Elec. Eng.       | 80000         |

# Queries in SQL

- Select all attributes using \*

```
select *
 from instructor
 where dept_name = "Physics"
```

| <i>ID</i> | <i>name</i> | <i>dept_name</i> | <i>salary</i> |
|-----------|-------------|------------------|---------------|
| 10101     | Srinivasan  | Comp. Sci.       | 65000         |
| 12121     | Wu          | Finance          | 90000         |
| 15151     | Mozart      | Music            | 40000         |
| 22222     | Einstein    | Physics          | 95000         |
| 32343     | El Said     | History          | 60000         |
| 33456     | Gold        | Physics          | 87000         |
| 45565     | Katz        | Comp. Sci.       | 75000         |
| 58583     | Califieri   | History          | 62000         |
| 76543     | Singh       | Finance          | 80000         |
| 76766     | Crick       | Biology          | 72000         |
| 83821     | Brandt      | Comp. Sci.       | 92000         |
| 98345     | Kim         | Elec. Eng.       | 80000         |

# Queries in SQL

- Select all attributes using `*`

```
select *
 from instructor
 where dept_name = "Physics"
```

- Can do arithmetic on attributes — get monthly salary

```
select ID,name,salary/12
 from instructor
```

| <i>ID</i> | <i>name</i> | <i>dept_name</i> | <i>salary</i> |
|-----------|-------------|------------------|---------------|
| 10101     | Srinivasan  | Comp. Sci.       | 65000         |
| 12121     | Wu          | Finance          | 90000         |
| 15151     | Mozart      | Music            | 40000         |
| 22222     | Einstein    | Physics          | 95000         |
| 32343     | El Said     | History          | 60000         |
| 33456     | Gold        | Physics          | 87000         |
| 45565     | Katz        | Comp. Sci.       | 75000         |
| 58583     | Califieri   | History          | 62000         |
| 76543     | Singh       | Finance          | 80000         |
| 76766     | Crick       | Biology          | 72000         |
| 83821     | Brandt      | Comp. Sci.       | 92000         |
| 98345     | Kim         | Elec. Eng.       | 80000         |