

## SUBJECT INDEX

- > 93
- abstraction 20
- accept-state labels 118
- Ackermann's function 106
- acknowledgment 70, 87, 216
- adaptive sequence 194
- addressing 89
- alternating bit protocol 41, 74, 87, 205
- American Revolutionary War 3
- analog signals 368
- analytical power 184
- ANSI 13, 59
- aperiodic signal 372
- Argos 109
- arithmetic checksum 63
- ARPA 17
  - network 11
- ARQ
  - flow control 81
  - protocol 217
- array 92, 259
- arrow 93
- ASCII code 13, 33, 130
- assert statement 114, 254, 266-267, 321
- assertion 114, 203
- assignment 385
- associativity of operators 384
- asynchronous
  - communication 97
  - transmission 368
- AT&T 13
- atomic
  - sequence 96, 106, 389
  - statement 254, 275, 279, 288
- attenuation 51
- automated protocol validation 218
- averaging interval 86
- bad cycles 118
- bandwidth 51, 130, 370, 377
  - limitation 43
  - telephone 373
  - utilization 64
- base frequency 373
- basket telegraph 3, 17
- Baud 370
- BCH codes 56, 65
- behavior definition 112
- Bell Labs 10, 41
- Bentley J. 16
- biased random walk 219
- binary
  - communication 100
  - digit 370
  - symmetric channel 44, 50
- Biisync protocol 10, 33, 59
- bit 370
  - datatype 92
  - error rate 43-44, 50, 129, 378
  - error rate 44
  - field 139
  - state space 238, 297, 305, 311, 315
  - state space 226
  - stuffing 33
- bit-oriented protocol 32
- BITSTATE compiler directive 436
- block
  - acknowledgment 82, 88
  - code 47
- bool datatype 92
- boundedness 37, 237
- bps 370
- breadth-first search 221
- break statement 101, 105, 254, 275, 279-280
- broadcast 129
- bubble sort 108
- burst
  - error 55, 58, 130, 137-138
  - rate 86
- busy beaver problem 165
- byte boundaries 139
- byte-count protocol 34, 133
- call
  - establishment 132
  - termination 132
- Cambridge Ring 41
- Cartesian product 175
- case
  - selection 388
  - selection 100
- CCITT 13, 17, 30, 41, 200, 354
- CCS 14
- CD 56
- certification centers 200
- chan statement 96
- channel 96, 387
- assumptions 21, 130
- bandwidth 84, 372
- capacity 51
- declaration 96
- error rate 45-47, 51
- saturation 83, 134
- size 97
- character stuffing 34, 40, 133
- character-oriented protocol 33
- characterizing sequence 197
- check bits 47, 52-53
- checksum 34, 47, 56, 138
  - placement 134
  - polynomial 56
  - residual 57
- Chinese postman problem 193
- Clayton tunnel 7, 16
- clustering 45
- coaxial
  - able 378
  - able 43
- code
  - efficiency 60
  - interleaving 55
  - mapping 49
  - overhead 48
  - rate 47-48
  - rate 49, 51-52
  - word 47, 52
- coin flips 50
- combining machines 175
- comments SPIN 383
- communicating finite state machine 166
- compact disks 56
- completely specified machine 190
- completeness 37
  - assumption 190
- complexity 111, 241
  - bounds 111
  - management 219, 222, 236
- composite
  - signal 372
  - system state 220
- compound statement 273
- concurrency 95
- condition 91
- conditional execution 163
- conformance

- testing 174, 187
- testing algorithm 190
- congestion 66
  - avoidance 83
- connection management protocol 203
- constants 384
- continuous
  - ARQ 134
  - signal 372
- control
  - code 40
  - code 3-4, 6, 16, 20
  - field 23, 35
  - flow 100
  - message 20
- controlled partial search 219, 222
- convolution code 47
- copper wire 367
- correctness
  - criteria 111-112
  - requirements 220
- coupling finite state machine 166
- CRC
  - checksum 48
  - code 56
  - lookup table 60, 65
  - CRC-12 code 58
  - CRC-16 58
  - CRC-32 59
  - CRC-CCITT 58
  - checksum 138
- creating processes 94
- credit 76
  - flow control 70
- critical
  - section 109
  - section 95, 104
- cross-talk 43, 130, 376
- cumulative acknowledgment 82
- cutoff frequency 373
- cyclic
  - code 47, 54
  - redundancy check 48
  - redundancy check 138
  - redundancy check 56
- data
  - envelope 27, 31
  - link layer 29
  - rate 378
  - rate 86
  - types 92, 386
- datagram 76
- Datakit 41
- DCE interface 30
- DDCMP protocol 34
- deadlock 22, 38, 69, 111, 117, 182, 203, 209-211, 220, 224, 241, 289, 297, 302, 311, 323, 326
- DEC 34
- decibel 376
- decidability 111, 241
- declarations 386
- Dekker's algorithm 95, 320
- deletion error 138
- demodulator 368
- depth-first search 221
- descriptive clarity 184
- design
  - by committee 13
  - flaw 26
  - problem 7, 13
  - requirement 15
  - rules 38
  - determinism 164
  - device channel 295
  - Dijkstra semaphore 103, 109
  - discrete memoryless channel 44
  - distinguishing sequence 194, 201
  - distortion error 138
  - dividing polynomials 57
  - DLE control code 33-34
  - do statement 389
  - double-error correcting codes 56
  - DTE interface 30
  - duplex
    - channel 368
    - transmission 68
  - duplicate message 76
  - duplication
    - error 74
    - errors 46
  - dynamic flow control 84
  - echo 43
    - distortion 376
  - edge weights 224
  - electric telegraph 5
  - electromagnetic wave 370
  - end state 164
  - end-state labels 117
  - end-to-end 30, 83, 129
  - ENIAC computer 10
  - entropy 51
  - equivalence finite state machine 174
  - error
    - characteristics 44, 64
    - code 47
    - control 138, 325
    - control 43
    - correction 48
    - correction 53
    - distribution 49
    - pattern 58
    - probabilities 43
    - state 220
    - trails 314
  - error-correcting code 46
  - error-detecting code 46
  - error-free interval 45
  - Estelle 14, 17
  - ETX
    - control code 40, 133
    - control code 33
  - Euclid's algorithm 102, 178
  - Euler tour 191
  - evaluating expressions 245
  - executability 91, 97, 100, 114
  - executable 163
  - execution
    - cycle 113
    - finite state machine 170
    - sequence 113
  - exhaustive
    - search 219
    - search limits 221
    - validation 297
  - expansion 236
  - exponential distribution 72
  - expressions 384
  - extended finite state machine 176
  - factorial
    - program 244, 310
    - program 104
  - fair progress 224
  - fault coverage 200, 202
  - FDDI checksum 59
  - FDT 14, 18, 366
  - feedback error control 46
  - fiber optics 43
  - Fibonacci
    - number 108
    - sequence 295
  - FIFO net 162, 181, 183, 186
  - finite
    - state machine 210
    - variable 176
  - finite state machine 162
  - fire signal 1
  - flow
    - charts 380
    - control validation 325
  - format testing 188
  - forward error control 46, 48
  - Fourier series 371
  - framing 29-30
    - error 369
  - FTSC 13
  - full
    - duplex transmission 204
    - search memory requirements 222
    - state space 305, 310, 322
    - state space search 219
  - full-duplex 130, 368
  - functional testing 188
  - generalization 112, 178, 236
  - generator polynomial 57
  - global variable 91, 93, 386
  - go-back-N ARQ 81
  - goto 388
    - statement 102, 105
  - grammar 245
    - literals 246
    - terminals 246
    - token 246
  - graph augmentation algorithm 193
  - guard 100, 389
  - guarded command language 109
  - guided
    - search 224
    - simulation 298, 307-308
  - guiding expressions 224
  - gunpowder 40
  - half-duplex 368
  - Hamming
    - code 53
    - distance 51
  - hardware CRC 65
  - harmonic frequency 372
  - hash
    - conflicts 228
    - factor 313, 315
    - function 227-228, 305
    - tables 227, 259
  - hashing 226, 299, 305
  - HDL protocol 30, 33
  - header 34, 161
  - Hertz 371

- high-speed protocol 83
- homing sequence 194, 201
- hop-by-hop 30, 83
- Hz 371
- i/o statements 389
- IBM 10, 33, 56, 359
- survey 65
- identifiers 383
- if statement 388
- IFIP 13, 88, 359
- impedance mismatch 376
- implementation 158, 174
- improper termination 38
- impulse noise 44-45
- include files 390
- incremental
  - composition 236
  - design 210
- induction proof 216
- inevitability 112
- infinite state space 226
- information 370
- init
  - process 282
  - process 93
- initializers 386
- input
  - selection 168
  - signals 163
- insertion error 87
- int datatype 92
- inter-arrival times 72
- inter-modulation 376
- interaction finite state machine
  - 166
- interface protocol 31
- Internet network 11
- interrupts 109
- IP protocol 30
- ISO 13-14, 28, 33, 200, 359
- ITU 13
- IUT 187
- keywords 383
- labels 388
- len operator 98, 269
- lexical
  - analysis 247, 255, 266
  - conventions 383
- Leyden jar 5
- light-weight protocol 37, 41, 161
- line driver 368
- linear code 47
- link level protocol 30
- livelock 38, 118
- local variables 386
- logical consistency 214
- longitudinal redundancy check
  - 49
- look ahead token 248
- lookup table 227, 257
- lost trail error 310
- Lotos 14, 17
- LRC code 49
- Lynch's protocol 22, 106
- M/M/1 queueing 72
- machine state 220
- macros 95, 390
- makefile 253
- Manchester coding 369
- manual proof 214
- marked graph 182
- marking 182
- maximum
  - likelihood decoding 51
  - progress 224
  - signaling speed 376-377
  - signaling speed 52
  - window size 80
- mean round-trip delay 72
- mechanical proof 297
- megaphone telegraph 3
- MEMCNT compiler directive
  - 436
- memory requirements supertrace
  - search 229
- message
  - channel 368
  - delimiter 133
  - duplication error 327
  - duplication error 76
  - format 134
  - loss 87, 123, 327
  - loss 72
  - parameter 97
  - passing 96, 268
  - propagation delay 130
  - propagation delay 70
  - queue 167, 169
  - reordering error 76, 88
  - type 282
  - type 104
  - type field 134
- min cost max flow problem
  - 193, 202
- minimal
  - design 38
  - test suite 193
- minimization finite state machine
  - 171, 173
- minimum window size 85
- model environment 163
- modeling
  - power 184
  - retransmission 167
- modem 29, 368
- modified transition tours 196
- modulation 374
- modulator 368
- modulo-2 sum 47-48
- Morse code 9, 370
- MSP protocol 41
- multi-point 129
- multiple hashing 230
- Murphy's law 225
- name-space 89
- NBS 13, 200
- nearest neighbor decoding 51
- needle telegraph 5, 17
- negative acknowledgment 5, 20, 22-23, 80
- network
  - design 36, 41, 89
  - flow problem 193
  - NIST 13, 200
  - noise 43, 370
  - spikes 130, 376
  - non-linear distortion 43, 376
  - non-periodic signal 371
  - non-progress cycles 118
  - nondeterminism 100, 164, 171, 388
  - defined 164
  - NP complexity 201
  - NPL 88
  - Nyquist rate 378
- offered load 85
- one bit sequence number 135
- operators 384
- optical
  - fiber 370, 378
  - telegraph 3-4, 17
- optimal data size 135
- OSI reference model 28, 30
- out-of-sequence message 74
- over-specification 37
- overrun errors 69
- packet 30
- padding 139
- parallel transmission 368
- parity check code 48
- parse tree 246
- parser 260, 266, 282
- parsing expressions 250
- partial
  - order 224
  - search algorithm 223
  - search heuristics 223
  - search objectives 223
  - searches 316
  - state space search 219
- partitioning states 195
- peek variables 385
- peer protocol 31
- perfect code 53, 65
- periodic signal 371
- Petri
  - net 186
  - net 162, 181-182
  - net restrictions 183
- phase distortion 375
- phase-shift 371
- physical layer 29
- pid 124
- Ping-Pong protocol 69, 72, 74, 81
- pithball telegraph 5
- place synchronization 210
- point-to-point 129
- Poisson distribution 45, 72, 130
- polynomial
  - complexity 193
  - degree 56
- positive acknowledgment
  - 22-23, 134
- precedence
  - of operators 384
  - rules 247
  - rules 261
- preprocessor 390
- printf statement 244, 267
- probabilistic search 224
- procedure
  - 104
  - rules 21, 90-91, 107, 203
  - rules 140
- process 91, 387
  - algebra 14
  - behavior 162
  - body 93
  - deletion 94
  - instantiation 93
  - instantiation number 124
  - parameter 94
  - type 282
- production rules 245
- progress-state labels 118
- PROMELA 91
- simulator 243

- validator 297
- proof by construction 203
- protocol
  - completeness 90
  - conformance 187
  - consistency 90
  - conversion 89
  - definition 20-21
  - derivation 203
  - efficiency 136
  - elements 21, 90
  - Engines 88
  - format 21
  - grammar 40
  - grammar 21
  - hierarchy 20, 37
  - implementation 111, 158
  - incompleteness 25
  - interface 203
  - layering 37
  - layers 26, 325
  - modeling 236
  - phases 132
  - service 21, 26, 203
  - skeleton 203, 210
  - specification 91
  - standard 13
  - syntax 21
  - synthesis 203
  - test suite 187
  - validation 214, 297
  - vocabulary 21, 170
  - vocabulary 21
- protocols introduced 12
- pseudo-transitions 196
- PSP protocol 41
- PSPACE complexity 111, 127, 196-197, 231, 241
- queue state 220
- race condition 99
- radio telegraph 9
- railway 7
- semaphore 7
- random
  - search algorithm 226
  - simulation 219, 226, 238, 241
- range sequence number 80
- rate
  - control 5, 135
  - control 37-38, 85, 89
- reachability
  - analysis 214, 218
  - analysis algorithm 221
  - reachable state 214, 239
- reader/writer protocol 211
- receive 389
  - statement 97
- recursion 104
- reduction techniques 112, 178, 236
- redundancy 34, 37, 46
- Reed-Solomon codes 56, 65
- regular
  - expression 210
  - language 165
- relative speeds 167
- remote referencing 385
- rendezvous 99, 103
- reordering errors 46
- repetition 101, 389
- reset property 190
- residual
  - error rate 56
- error rate 47-48, 50, 56
- retransmission 76
- interval 72
- timer 88
- robustness 38
- roundtrip delay 64
- routing 89
- RS232 interface 13
- run operator 94, 124
- rural Chinese postman problem 196
- SABRE network 11
- sampling theorem 376
- scalars 259
- scatter search 224
- scheduler 285
- SDL 14, 17, 41, 364
- SDLC protocol 33
- search
  - coverage 219, 221, 229-230, 315
  - quality 219, 221
  - reduction methods 236
- selective
  - repeat 217
  - repeat ARQ 81
- self-adapting protocol 37
- self-stabilization 41, 369
- self-stabilizing protocol 37
- semaphore 100, 115
  - optical 3
- semicolon 93
- send 389
  - statement 97
- sequence
  - number field 134
  - numbers 215
  - numbers 34, 74
- serial transmission 368
- service
  - access point 210
  - access point 31
  - primitive 210
  - specification 22, 26
- session layer validation 337
- set property 190
- Shannon limit 52
- Shannon-Hartley law 377
- shared variable 95
- shift registers 65
- short datatype 92
- shortest
  - distance 193
  - path algorithm 202
- shutter telegraph 4, 17
- signal
  - amplitude 371
  - attenuation 375, 377
  - distortion 368, 375
  - elements 370
  - energy 376
  - frequency 371
  - power 376
  - propagation 370
  - sampling 376
  - strobe 368
  - transmission 368
- signal-to-noise ratio 51, 130, 376
- signaling speed 370
- signed and unsigned data 92
- simple I/O sequence 201
- simplex
  - channel 368
  - transmission 68
- sine curve 370
- skip 388
  - statement 94, 102, 105
- sliding
  - window protocol 74, 217
  - window protocol 87
- slow start protocol 85, 89
- smoke signal 17
- spanning
  - arborescence 192
  - tree 192
- speaking tube 3
- SPIN
  - evaluator 263, 267
  - macros 292
  - options 293
  - overview 244
  - sample run 244
  - statements 265
  - SPIN structure 246
  - SPIN
    - transition-matrix 302
  - validator 298
  - variables 255, 289
- spontaneous transition 167
- stable state tuple 210
- stack order 221
- state
  - invariant 214
  - labels 113
  - numbers 333
  - properties 113
  - signature 201
  - space explosion 214
  - space explosion 222
  - transition diagram 74, 147, 164
- statement 388
  - separator 93
- states 113
- static flow control 84
- status property 190
- stop-and-wait
  - ARQ 81
  - protocol 69
- strongly connected graph 189
- structural testing 189, 201
- structured programming 41
- structuring method 26, 31, 34
- STX
  - control code 40, 133
  - control code 33
- supertrace
  - implementation 311
  - search 226, 322
- symbol table 257
- symmetric
  - augmentation 196
  - graph 191
- synchronization 66, 83
  - finite state machine 166
- synchronous
  - communication 99
  - coupling 169
  - transmission 368
- system invariant 114-115, 216
- systematic code 47, 54
- tape symbol 165
- TCP protocol 88
- TCP/IP protocol 30
- tele-typewriter 9

- telegraph code 370
- telephone 3, 9, 43, 52, 55
- telescope 3
- telex code 9, 12-13
- Telstar satellite 10
- temporal
  - claims 114, 119
  - logic 126-127
- test-and-set problem 95
- thermal noise 376
- three-way handshake 161
- time sequence diagram 25, 73, 76
- timeout 72, 75, 87-88, 125, 135, 267
  - statement 105
- token 383
- attributes 248
- torch
  - code 16
  - telegraph 2, 39
- TP4 protocol 63
- trailer 34, 134
  - protocol 161
- train crash 7, 17
- transistor 10
- transition
  - diagram 182
  - matrix 306
  - probability 224
  - rule 163, 170
  - table 162
  - tour 191
  - tour algorithm 192
- transparency 27
- Troy 1
- TTCN 200
- Turing machine 165
- turn-around time 72
- twisted
  - pair 367, 378
  - pair 43
- types of transmission errors 43
- UIO
  - sequence 194, 201
  - sequence derivation 195
- unique input/output sequence 194-195
- unreachable state 220
- unreached code 333
- unspecified
  - reception 210
  - reception 37, 117
- upper tester 326
- URP protocol 41
- uucp checksum 62
- validation
  - kernel 299
  - model 90
  - model checking 214
  - validator generator 297, 304, 316
  - validator-generator 303
- value transfer 389
- variable 386
  - declaration 92
- verification
  - Lotos 14
  - SDL 14
- vertical redundancy check 49
- virtual channel 27
- VRC code 49
- Watt 376
- well-formed protocol 37
- Wheatstone automatic 9
- white noise 51, 376
- window
  - protocol 70
  - protocol invariant 217
  - size 217
  - size 76, 83
  - size calculation 134
- X.21 protocol 13, 30
- X.25 protocol 13, 30, 41
- XTP protocol 85-86, 89
- Z language 240