

# CHENNAI MATHEMATICAL INSTITUTE

M.Sc. / Ph.D. Programme in Computer Science

Entrance Examination, 25 May 2012

This question paper has 5 printed sides. Part A has 10 questions of 3 marks each. Part B has 7 questions of 10 marks each. The total marks are 100.

## Part A

1. Let  $L \subseteq \{0, 1\}^*$ . Which of the following is true?
  - (a) If  $L$  is regular, all subsets of  $L$  are regular.
  - (b) If all proper subsets of  $L$  are regular, then  $L$  is regular.
  - (c) If all finite subsets of  $L$  are regular, then  $L$  is regular.
  - (d) If a proper subset of  $L$  is not regular, then  $L$  is not regular.
2. Let  $T$  be a tree on 100 vertices. Let  $n_i$  be the number of vertices in  $T$  which have exactly  $i$  neighbors. Let  $s = \sum_{i=1}^{100} i \cdot n_i$ . Which of the following is true?
  - (a)  $s = 99$
  - (b)  $s = 198$
  - (c)  $99 < s < 198$
  - (d) None of the above

*The next two questions are based on the following program. In the program, we assume that integer division returns only the quotient. For example  $7/3$  returns 2 since 2 is the quotient and 1 is the remainder.*

```
mystery(a,b){
    if (b == 0) return a;
    if (a < b) return mystery(b,a);
    if (eo(a,b) == 0){
        return(2*mystery(a/2,b/2));
    }
    if (eo(a,b) == 1){
        return(mystery(a,b/2));
    }
    if (eo(a,b) == 2){
        return(mystery(a/2,b));
    }
    if (eo(a,b) == 3){
        return (mystery((a-b)/2,b));
    }
}
eo(a,b){
```



Which of the statements above are true?

- (a) I, II and III            (b) I and III            (c) II and III            (d) None of them

9. Consider the following programming errors:

- (I) Type mismatch in an expression.  
(II) Array index out of bounds.  
(III) Use of an uninitialized variable in an expression.

Which of these errors will typically be caught at compile-time by a modern compiler.

- (a) I, II and III            (b) I and II            (c) I and III            (d) None of them

10. Consider the following functions  $f$  and  $g$ .

$f() \{$	$g() \{$
$x = x-50;$	$a = a+x;$
$y = y+50;$	$a = a+y;$
$\}$	$\}$

Suppose we start with initial values of 100 for  $x$ , 200 for  $y$ , and 0 for  $a$ , and then execute  $f$  and  $g$  in parallel—that is, at each step we either execute one statement from  $f$  or one statement from  $g$ . Which of the following is *not* a possible final value of  $a$ ?

- (a) 300                      (b) 250                      (c) 350                      (d) 200

## Part B

- Let  $G = (V, E)$  be a graph where  $|V| = n$  and the degree of each vertex is strictly greater than  $n/2$ . Prove that  $G$  has a Hamiltonian path. (Hint: Consider a path of maximum length in  $G$ .)
- For a binary string  $x = a_0a_1 \cdots a_{n-1}$  define  $val(x)$  to be

$$\sum_{0 \leq i < n} 2^{n-1-i} \cdot a_i.$$

Let  $\Sigma = \{(0, 0), (0, 1), (1, 0), (1, 1)\}$ .

- (i) Construct a finite automaton that accepts the set of all strings

$$(a_0, b_0)(a_1, b_1) \cdots (a_{n-1}, b_{n-1}) \in \Sigma^*$$

such that

$$val(b_0b_1 \cdots b_{n-1}) = 2 \cdot val(a_0a_1 \cdots a_{n-1}).$$

(ii) Construct a finite automaton that accepts exactly those strings

$$(a_0, b_0)(a_1, b_1) \cdots (a_{n-1}, b_{n-1}) \in \Sigma^*$$

such that

$$\text{val}(b_0 b_1 \cdots b_{n-1}) = 4 \cdot \text{val}(a_0 a_1 \cdots a_{n-1}).$$

3. Let  $A$  be array of  $n$  integers, sorted so that  $A[1] \leq A[2] \leq \dots \leq A[n]$ . Suppose you are given a number  $x$  and you wish to find out if there there indices  $k, l$  such that  $A[k] + A[l] = x$ .

(i) Design an  $O(n \log n)$  time algorithm for this problem.

(ii) Design an  $O(n)$  algorithm for this problem.

4. You have an array  $A$  with  $n$  objects, some of which are identical. You can check if two objects are equal but you cannot compare them in any other way—i.e. you can check  $A[i] == A[j]$  and  $A[i] != A[j]$ , but comparisons such as  $A[i] < A[j]$  are not meaningful. (Imagine that the objects are JPEG images.)

The array  $A$  is said to have a majority element if strictly more than half of its elements are equal to each other. Use divide and conquer to come up with an  $O(n \log n)$  algorithm to determine if  $A$  has a majority element.

5. Given an undirected weighted graph  $G = (V, E)$  with non-negative edge weights, we can compute a minimum cost spanning tree  $T = (V, E')$ . We can also compute, for a given source vertex  $s \in V$ , the shortest paths from  $s$  to every other vertex in  $V$ .

We now increase the weight of every edge in the graph by 1. Are the following true or false, regardless of the structure of  $G$ ? Give a mathematically sound argument if you claim the statement is true or a counterexample if the statement is false.

(i)  $T$  is still a minimum cost spanning tree of  $G$ .

(ii) All the shortest paths from  $s$  to the other vertices are unchanged.

6. A certain string-processing language offers a primitive operation which splits a string into two pieces. Since this operation involves copying the original string, it takes  $n$  units of time for a string of length  $n$ , regardless of the location of the cut.

Suppose, now, that you want to break a string into many pieces. The order in which the breaks are made can affect the total running time. For example, if you want to cut a 20-character string at positions 3 and 10, then making the first cut at position 3 incurs a total cost of  $20 + 17 = 37$ , while doing position 10 first has a better cost of  $20 + 10 = 30$ .

Give a dynamic programming algorithm that, given the locations of  $m$  cuts in a string of length  $n$ , finds the minimum cost of breaking the string into  $m + 1$  pieces. You may assume that all  $m$  locations are in the interior of the string so each split is non-trivial.

7. We use the notation  $[x_1, x_2, \dots, x_n]$  to denote a list of integers.  $[]$  denotes the empty list, and  $[n]$  is the list consisting of one integer  $n$ . For a nonempty list  $l$ ,  $\text{head}(l)$  returns the first element of  $l$ , and  $\text{tail}(l)$  returns the list obtained by removing the first element from  $l$ . The function  $\text{length}(l)$  returns the length of a list. For example,

- `head([11,-1,5]) = 11, tail([11,-1,5]) = [-1,5]`.
- `head([7]) = 7, tail([7]) = []`.
- `length([]) = 0, length([7]) = 1, length([11,-1,5]) = 3`.

We use `or`, `and` and `not` to denote the usual operations on boolean values `true` and `false`.

Consider the following functions, each of which takes a list of integers as input and returns a boolean value.

```
f(l)
  if (length(l) < 2) then return(true)
  else return(g(l) or h(l))
```

```
g(l)
  if (length(l) < 2) then return(true)
  else
    if (head(l) < head(tail(l))) then return h(tail(l))
    else return(false)
```

```
h(l)
  if (length(l) < 2) then return(true)
  else
    if (head(l) > head(tail(l))) then return g(tail(l))
    else return(false)
```

When does `f(l)` return the value `true` for an input `l`? Explain your answer.