

Interprocedural Analysis: Sharir-Pnueli's Call-strings Approach

Deepak D'Souza

Department of Computer Science and Automation
Indian Institute of Science, Bangalore.

04 September 2013

Outline

- 1 Motivation
- 2 Call-strings method
- 3 Correctness
- 4 Approximate call-string method
- 5 Bounded call-string method

Handling programs with procedure calls

How would we extend an abstract interpretation to handle programs with procedures?

```
main(){  
  x := 0;  
  f();  
  g();  
  print x;  
}
```

```
f(){  
  x := x+1;  
  return;  
}
```

```
g(){  
  f();  
  return;  
}
```

Handling programs with procedure calls


How would we extend an abstract interpretation to handle programs with procedures?

```
main(){                                f(){                                g(){
  x := 0;                             x := x+1;                            f();
  f();                                return;                            return;
  g();                                }                                }
  print x;                            }
}
```

Question: what is the collecting state before the `print x` statement in `main`?


Handling programs with procedure calls

- Add extra edges
 - **call edges**: from call site (call p) to start of procedure (p)
 - **ret edges**: from return statement (in p) to point after call sites ("ret sites") (call p).




Handling programs with procedure calls

- Assume variables are uniquely named across program.
- Transfer functions for call/return edges?




Handling programs with procedure calls

- Assume variables are uniquely named across program.
- Transfer functions for call/return edges? Identity if we assume no parameters/return values; else treat like assignment statement.




Handling programs with procedure calls

- Assume variables are uniquely named across program.
- Transfer functions for call/return edges? Identity if we assume no parameters/return values; else treat like assignment statement.
- Now compute JOP in this extended control-flow graph.




Problem with JOP in this graph

Ex. 1. Actual collecting state at C?



Problem with JOP in this graph


Ex. 1. Actual collecting state at C? $\{x \mapsto 2\}$.



Problem with JOP in this graph

Ex. 1. Actual collecting state at C? $\{x \mapsto 2\}$.


Ex. 2. JOP at C for the collecting semantics abstract interpretation?



Problem with JOP in this graph

Ex. 1. Actual collecting state at C? $\{x \mapsto 2\}$.

Ex. 2. JOP at C for the collecting semantics abstract interpretation?
 $\{x \mapsto 1, x \mapsto 2, x \mapsto 3, \dots\}$.




Problem with JOP in this graph

Ex. 1. Actual collecting state at C? $\{x \mapsto 2\}$.

Ex. 2. JOP at C for the collecting semantics abstract interpretation?
 $\{x \mapsto 1, x \mapsto 2, x \mapsto 3, \dots\}$.

- JOP is sound but very **imprecise**.
- Some paths don't correspond to executions of the program: Eg. ABDFGILC.




Problem with JOP in this graph

Ex. 1. Actual collecting state at C? $\{x \mapsto 2\}$.

Ex. 2. JOP at C for the collecting semantics abstract interpretation?
 $\{x \mapsto 1, x \mapsto 2, x \mapsto 3, \dots\}$.

- JOP is sound but very **imprecise**.
- Some paths don't correspond to executions of the program: Eg. ABDFGILC.

What we want is Join over "Interprocedurally-Valid" Paths (**JVP**).




Interprocedurally valid paths and their call-strings

- Informally a path ρ in the extended CFG G' is inter-procedurally valid if every return edge in ρ “corresponds” to the most recent “pending” call edge.
- For example, in the example program the ret edge E corresponds to the call edge D .
- The call-string of a valid path ρ is a subsequence of call edges which have not been “returned” as yet in ρ .
- For example, $cs(ABDFGEKJHF)$ is “KH”.

Interprocedurally valid paths and their call-strings

- A path $\rho = ABDFGEKJHF$ in $IVP_{G'}$ for example program:



- Associated call-string $cs(\rho)$ is KH .
- For $\rho = ABDFGEK$ $cs(\rho) = K$.
- For $\rho = ABDFGE$ $cs(\rho) = \epsilon$.

Interprocedurally valid paths and their call-strings

More formally: Let ρ be a path in G' . We define when ρ is **interprocedurally valid** (and we say $\rho \in IVP(G')$) and what is its **call-string** $cs(\rho)$, by induction on the length of ρ .

- If $\rho = \epsilon$ then $\rho \in IVP(G')$. In this case $cs(\rho) = \epsilon$.
- If $\rho = \rho' \cdot N$ then $\rho \in IVP(G')$ iff $\rho' \in IVP(G')$ with $cs(\rho') = \gamma$ say, and one of the following holds:
 - 1 N is neither a call nor a ret edge.
In this case $cs(\rho) = \gamma$.
 - 2 N is a call edge.
In this case $cs(\rho) = \gamma \cdot N$.
 - 3 N is ret edge, and γ is of the form $\gamma' \cdot C$, and N corresponds to the call edge C .
In this case $cs(\rho) = \gamma'$.
- We denote the set of (potential) call-strings in G' by Γ . Thus $\Gamma = \mathcal{C}^*$, where \mathcal{C} is the set of call edges in G' .


Join over interprocedurally-valid paths (JVP)

- Let P be a given program, with extended CFG G' .
- Let $path_{I,N}(G')$ be the set of paths from the initial point I to point N in G' .
- Let $\mathcal{A} = ((D, \leq), f_{MN}, d_0)$ be a given abstract interpretation.
- Then we define the **join over all interprocedurally valid paths (JVP)** at point N in G' to be:

$$\bigsqcup_{\rho \in path_{I,N}(G') \cap IVP(G')} f_{\rho}(d_0).$$


One approach to obtain JVP

- Find JOP over same graph, but modify the abs int.
- Modify transfer functions for call/ret edges to detect and invalidate invalid edges.
- Augment underlying data values with some information for this.
- Natural thing to try: “call-strings”.



Overall plan

- Define an abs int \mathcal{A}' which extends given abs int \mathcal{A} with call-string data.
- Show that JOP of \mathcal{A}' on G' coincides with JVP of \mathcal{A} on G' .
- Use Kildall (or any other technique) to compute LFP of \mathcal{A}' on G' . This value over-approximates JVP of \mathcal{A} on G' .




Call-string abs int \mathcal{A}' : Lattice (D', \leq')

- Elements of D' are maps $\xi : \Gamma \rightarrow D$

$$\xi :$$

| | | | | |
|------------|-------|-----------|---------------|-------|
| ϵ | c_1 | $c_1 c_2$ | $c_1 c_2 c_2$ | |
| d_0 | d_1 | d_2 | d_3 | |

- Ordering on D' : \leq' is the pointwise extension of \leq in D .
- That is $\xi_1 \leq' \xi_2$ iff for each $\gamma \in \Gamma$, $\xi_1(\gamma) \leq \xi_2(\gamma)$.




Call-string abs int \mathcal{A}' : Lattice (D', \leq')

- Elements of D' are maps $\xi : \Gamma \rightarrow D$

$$\xi :$$

| | | | | |
|------------|-------|-----------|---------------|-------|
| ϵ | c_1 | $c_1 c_2$ | $c_1 c_2 c_2$ | |
| d_0 | d_1 | d_2 | d_3 | |

- Ordering on D' : \leq' is the pointwise extension of \leq in D .
- That is $\xi_1 \leq' \xi_2$ iff for each $\gamma \in \Gamma$, $\xi_1(\gamma) \leq \xi_2(\gamma)$.



- Check that (D', \leq') is also a complete lattice.

Call-string abs int \mathcal{A}' : Initial value ξ_0

- Initial value ξ_0 is given by

$$\xi_0(\gamma) = \begin{cases} d_0 & \text{if } \gamma = \epsilon \\ \perp & \text{otherwise.} \end{cases}$$

$\xi_0 :$

| | | | | |
|------------|---------|-----------|---------------|-------|
| ϵ | c_1 | $c_1 c_2$ | $c_1 c_2 c_2$ | |
| d_0 | \perp | \perp | \perp | |

Call-string abs int \mathcal{A}' : transfer functions

- Transfer functions for non-call/ret edge N :

$$f'_{MN}(\xi) = f_{MN} \circ \xi.$$

- Transfer functions for call edge N :

$$f'_{MN}(\xi) = \lambda\gamma. \begin{cases} \xi(\gamma') & \text{if } \gamma = \gamma' \cdot N \\ \perp & \text{otherwise} \end{cases}$$

- Transfer functions for ret edge N whose corresponding call edge is C :

$$f'_{MN}(\xi) = \lambda\gamma. \xi(\gamma \cdot C)$$

- Transfer functions f'_{MN} is monotonic (distributive) if each f_{MN} is monotonic (distributive).

Transfer functions f'_{MN} for example program

- Non-call/ret edge B :


$$\xi_B = f_{AB} \circ \xi_A.$$

- Call edge D :

$$\xi_D(\gamma) = \begin{cases} \xi_B(\gamma') & \text{if } \gamma = \gamma' \cdot D \\ \perp & \text{otherwise} \end{cases}$$

- Return edge E :

$$\xi_E(\gamma) = \xi_G(\gamma \cdot D).$$




Exercise 1

Let \mathcal{A} be the standard collecting state analysis. For brevity, represent a set of concrete states as $\{0, 1\}$ (meaning the 2 concrete states $x \mapsto 0$ and $x \mapsto 1$). Assume an initial value $d_0 = \{0\}$.


Show the call-string tagged abstract states (in the lattice \mathcal{A}') along the paths

- 1 ABDFGEKJHFGIL (interprocedurally valid)
- 2 ABDFGIL (interprocedurally invalid).




Exercise 2

Use Kildall's algo to compute the LFP of the \mathcal{A}' analysis for the example program. Start with initial value $d_0 = \{0\}$.




Exercise 2

Use Kildall's algo to compute the LFP of the \mathcal{A}' analysis for the example program. Start with initial value $d_0 = \{0\}$.




Exercise 2

Use Kildall's algo to compute the LFP of the \mathcal{A}' analysis for the example program. Start with initial value $d_0 = \{0\}$.



Exercise 2

Use Kildall's algo to compute the LFP of the \mathcal{A}' analysis for the example program. Start with initial value $d_0 = \{0\}$.



Correctness claim


Assumption on \mathcal{A} : Each transfer function satisfies $f_{MN}(\perp) = \perp$.

Claim

Let N be a point in G' . Then

$$JVP_{\mathcal{A}}(N) = \bigsqcup_{\gamma \in \Gamma} JOP_{\mathcal{A}'}(N)(\gamma).$$

Proof: Use following lemmas to prove that LHS dominates RHS and vice-versa.



IVP Paths reaching N

Paths reaching N

Correctness claim: Lemma 1

Lemma 1

Let ρ be a path in $IVP_{G'}$. Then

$$f'_\rho(\xi_0) = \lambda_\gamma. \begin{cases} f_\rho(d_0) & \text{if } \gamma = cs(\rho) \\ \perp & \text{otherwise.} \end{cases}$$

| | | | | |
|------------|---------|------------|---------------|-------|
| ϵ | c_1 | $cs(\rho)$ | $c_1 c_2 c_2$ | |
| \perp | \perp | d | \perp | |

Proof: by induction of length of ρ .

Correctness claim: Lemma 2

Lemma 2

Let ρ be a path **not in** $IVP_{G'}$. Then

$$f'_\rho(\xi_0) = \lambda\gamma.\perp.$$

| | | | | |
|------------|---------|---------|---------------|-------|
| ϵ | c_1 | c_2 | $c_1 c_2 c_2$ | |
| \perp | \perp | \perp | \perp | |

Proof:

- ρ must have an invalid prefix.
- Consider smallest such prefix $\alpha \cdot N$. Then it must be that α is valid and N is a return edge not corresponding to $cs(\alpha)$.
- Using previous lemma it follows that $f'_{\alpha \cdot N}(\xi_0) = \lambda\gamma.\perp$.
- But then all extensions of α along ρ must also have transfer function $\lambda\gamma.\perp$.

Computing JOP for abs int \mathcal{A}'

- Problem is that D' is infinite in general (even if D were finite). So we cannot use Kildall's algo to compute an over-approximation of JOP.
- We give two methods to **bound** the number of call-strings
 - Use “approximate” call-strings.
 - Give a bound on largest call-string needed.


Approximate (suffix) call-string method

Idea:

- Consider only call-strings of length $\leq l$. So each table ξ is now a finite table.
- Transfer functions for non-call/ret edges remains same.
- Transfer functions for call edge C : Shift γ entry to $\gamma \cdot C$ if $|\gamma \cdot C| \leq l$; else shift it to $\gamma' \cdot C$ where $\gamma = A \cdot \gamma'$.
- Transfer functions for ret edge N :
 - If $\gamma = \gamma' \cdot C$ and N corresponds to call edge C , then shift $\gamma' \cdot C$ entry to **all** entries $\alpha\gamma'$ which are “feasible” at the return site;
 - If $\gamma = \epsilon$ then copy its entry to **all** entries α which are “feasible” at the return site.


Exercise: approximate call-strings

Assume approximate call-string length of 2. Use Kildall's algo to compute the ξ table values for the example program. Start with initial value $d_0 = 0$.




Exercise: approximate call-strings

Assume approximate call-string length of 2. Use Kildall's algo to compute the ξ table values for the example program. Start with initial value $d_0 = 0$.




Exercise: approximate call-strings

Assume approximate call-string length of 2. Use Kildall's algo to compute the ξ table values for the example program. Start with initial value $d_0 = 0$.




Exercise: approximate call-strings

Assume approximate call-string length of 2. Use Kildall's algo to compute the ξ table values for the example program. Start with initial value $d_0 = 0$.




Exercise: approximate call-strings

Assume approximate call-string length of 2. Use Kildall's algo to compute the ξ table values for the example program. Start with initial value $d_0 = 0$.




Bounded call-string method for finite underlying lattice D

- Possible to bound length of call-strings Γ we need to consider.
- For a number l , we denote the set of call-strings (for the given program P) of length at most l , by Γ_l .
- Define a new analysis \mathcal{A}'' (M -bounded call-string analysis) in which call-string tables have entries only for Γ_M for a certain constant M , and transfer functions ignore entries for call-strings of length more than M .
- We will show that $\text{JOP}(G', \mathcal{A}'') = \text{JOP}(G', \mathcal{A}')$.



LFP of \mathcal{A}'' is more precise than LFP of \mathcal{A}'

- Consider any fixpoint V (a vector of tables) of \mathcal{A}'' .
- Truncate each entry of V to (call-strings of) length M , to get V' .
- Clearly V dominates V' .
- Further, observe that V' is a **post-fixpoint** of the transfer functions for \mathcal{A}' .
- By Knaster-Tarski characterisation of LFP, we know that V' dominates $\text{LFP}(\mathcal{A}'')$.




Sufficiency (or safety) of bound

Let k be the number of call sites in P .

Claim

For any path p in $IVP(r_1, N)$ with a prefix q such that $|cs(q)| > k|D|^2 = M$ there is a path p' in $IVP(r_1, N)$ with $|cs(q')| \leq M$ for each prefix q' of p' , and $f_p(d_0) = f_{p'}(d_0)$.

Paths with bounded call-strings



Proving claim

Claim

For any path p in $IVP(r_1, N)$ such that for some prefix q of p , $|cs(q)| > M = k|D|^2$, there is a path p' in $IVP_{\Gamma_M}(r_1, N)$ with $f_{p'}(d_0) = f_p(d_0)$.

- Sufficient to prove:

Subclaim

For any path p in $IVP(r_1, N)$ with a prefix q such that $|cs(q)| > M$, we can produce a **smaller** path p' in $IVP(r_1, N)$ with $f_{p'}(d_0) = f_p(d_0)$.


- ...since if $|p| \leq M$ then $p \in IVP_{\Gamma_M}$.

Proving subclaim: Path decomposition

A path ρ in $IVP(r_1, n)$ can be decomposed as

$$\rho_1 \parallel (c_1, r_{p_2}) \parallel \rho_2 \parallel (c_2, r_{p_3}) \parallel \sigma_3 \parallel \cdots \parallel (c_{j-1}, r_{p_j}) \parallel \rho_j.$$

where each ρ_i ($i < j$) is a **valid and complete** path from r_{p_i} to c_i , and ρ_j is a **valid and complete** path from r_{p_j} to n . Thus c_1, \dots, c_{j-1} are the unfinished calls at the end of ρ .




Proving subclaim

- Let p_0 be the first prefix of p where $|cs(p_0)| > M$.
- Let decomposition of p_0 be


$$\rho_1 \|(c_1, r_{p_2})\| \rho_2 \|(c_2, r_{p_3})\| \sigma_3 \|\cdots\| (c_{j-1}, r_{p_j})\| \rho_j.$$

- Tag each unfinished-call c in p_0 by $(c, f_{q \cdot c}(d_0), f_{q \cdot cq'e}(d_0))$ where e is corresponding return of c in p .
- If no return for c in p tag with $(c, f_{q \cdot c}(d_0), \perp)$.
- Number of distinct such tags is $k \cdot |D|^2$.
- So there are two calls qc and $qcq'c$ with same tag values.


Proving subclaim – tag values are \perp



Proving subclaim – tag values are not \perp



Example



Transfer functions f'_{MN} for Example 2

- Non-call/ret edge C :

$$\xi_C = f_{BC} \circ \xi_B.$$

- Call edge O :

$$\xi_O(\gamma) = \begin{cases} \xi_C(\gamma') & \text{if } \gamma = \gamma' \cdot O \\ \perp & \text{otherwise} \end{cases}$$

- Return edge N :

$$\xi_N(\gamma) = \xi_J(\gamma \cdot O).$$

