

Weighted automata

Manfred Droste¹ and Dietrich Kuske²

¹Institut für Informatik, Universität Leipzig, Germany
email: droste@informatik.uni-leipzig.de

²Institut für Theoretische Informatik, Technische Universität Ilmenau, Germany
email: dietrich.kuske@tu-ilmenau.de

2010 Mathematics Subject Classification: Primary: 68Q45 Secondary: 03B50, 03D05, 16Y60, 68Q70

Key words: weighted finite automata, semirings, rational formal power series

Abstract. Weighted automata are classical finite automata in which the transitions carry weights. These weights may model quantitative properties like the amount of resources needed for executing a transition or the probability or reliability of its successful execution. Using weighted automata, we may also count the number of successful paths labeled by a given word.

As an introduction into this field, we present selected classical and recent results concentrating on the expressive power of weighted automata.

Contents

13

14	1	Introduction	2
15	2	Weighted automata and their behavior	3
16	3	Linear presentations	6
17	4	The Kleene-Schützenberger theorem	7
18	4.1	Rational series are recognizable	9
19	4.2	Recognizable series are rational	12
20	5	Semimodules	14
21	6	Nivat’s theorem	15
22	7	Weighted monadic second order logic	17
23	8	Decidability of “ $r_1 = r_2$?”	22
24	9	Characteristic series and supports	26
25	10	Further results	29
26		References	31

1 Introduction

27

28 Classical automata provide acceptance mechanisms for words. The starting point of
 29 weighted automata is to determine the number of ways a word can be accepted or the
 30 amount of resources used for this. The behavior of weighted automata thus associates
 31 a quantity or weight to every word. The goal of this chapter is to study the possible
 32 behaviors.

33 Historically, weighted automata were introduced in the seminal paper by Schützen-
 34 berger [97]. A close relationship to probabilistic automata was mutually influential in the
 35 beginning [87, 19, 109]. For the domain of weights and their computations, the algebraic
 36 structure of semirings proved to be very fruitful. This soon led to a rich mathematical
 37 theory including applications for purely language theoretic questions as well as practical
 38 applications in digital image compression and algorithms for natural language processing.
 39 Excellent treatments of this are provided by the books [43, 96, 109, 72, 10, 94] and the
 40 surveys in the recent handbook [31].

41 In this chapter, we describe the behavior of weighted automata by equivalent for-
 42 malisms. These include rational expressions and series, algebraic means like linear pre-
 43 sentations and semimodules, decomposition into simple behaviors, and quantitative log-
 44 ics. We also touch on decidability questions (including a strengthening of a celebrated
 45 result by Krob) and languages naturally associated to the behaviors of weighted automata.

46 We had to choose from the substantial amount of theory and applications of this topic
 47 and our choice is biased by our personal interests. We hope to wet the reader’s appetite
 48 for this exciting field and for consulting the abovementioned books.

49 **Acknowledgement** The authors would like to thank Werner Kuich for valuable sugges-
 50 tions regarding this chapter and Ingmar Meinecke for some improvements in Section 6.




Figure 1. A nondeterministic finite automaton

2 Weighted automata and their behavior

51

52 We start with a simple automaton exemplifying different possible interpretations of its
 53 behavior. We identify a common feature that will permit us to consider them as instances
 54 of the unified concept of a weighted automaton. So let $\Sigma = \{a, b\}$ and $Q = \{p_1, p_2\}$ and
 55 consider the automaton from Figure 1.

56 **Example 2.1.** Classically (cf. [89]), the language accepted describes the behavior of a
 57 finite automaton. In our case, this is the language $\Sigma^* b \Sigma^*$.

58 Now set $\text{in}(p_1) = \text{out}(p_2) = \text{true}$, $\text{out}(p_1) = \text{in}(p_2) = \text{false}$, and $\text{wt}(p, c, q) = \text{true}$
 59 if (p, c, q) is a transition of the automaton and false otherwise. Then a word $a_1 a_2 \dots a_n$
 60 is accepted by the automaton if and only if

$$\bigvee_{q_0, q_1, \dots, q_n \in Q} \left(\text{in}(q_0) \wedge \bigwedge_{1 \leq i \leq n} \text{wt}(q_{i-1}, a_i, q_i) \wedge \text{out}(q_n) \right)$$

61 evaluates to true.

62 **Example 2.2.** For any word $w \in \Sigma^*$, let $f(w)$ denote the number of accepting paths
 63 labeled w . In our case, $f(w)$ equals the number of occurrences of the letter b .

64 Set $\text{in}(p_1) = \text{out}(p_2) = 1$, $\text{out}(p_1) = \text{in}(p_2) = 0$, and $\text{wt}(p, c, q) = 1$ if (p, c, q) is a
 65 transition of the automaton and 0 otherwise. Then $f(a_1 \dots a_n)$ equals

$$\sum_{q_0, q_1, \dots, q_n \in Q} \left(\text{in}(q_0) \cdot \prod_{1 \leq i \leq n} \text{wt}(q_{i-1}, a_i, q_i) \cdot \text{out}(q_n) \right). \quad (2.1)$$

66 Note that the above two examples would in fact work correspondingly for any finite
 67 automaton. The following two examples are specific for the particular automaton from
 68 Fig. 1.

69 **Example 2.3.** Define the functions in and out as in Example 2.2. But this time, set
 70 $\text{wt}(p, c, q) = 1$ if (p, c, q) is a transition of the automaton and $p = p_1$, $\text{wt}(p_2, c, p_2) = 2$
 71 for $c \in \Sigma$, and $\text{wt}(p, c, q) = 0$ otherwise. If we now evaluate the formula (2.1) for a word
 72 $w \in \Sigma^*$, we obtain the value of the word w if understood as a binary number where a
 73 stands for the digit 0 and b for the digit 1.

74 **Example 2.4.** Let the deficit of a word $v \in \Sigma^*$ be the number $|v|_b - |v|_a$ where $|v|_a$ is
 75 the number of occurrences of a in v and $|v|_b$ is defined analogously. We want to compute
 76 using the automaton from Fig. 1 the maximal deficit of a prefix of a word w . To this
 77 aim, set $\text{in}(p_1) = \text{out}(p_2) = 0$ and $\text{out}(p_1) = \text{in}(p_2) = -\infty$. Furthermore, we set
 78 $\text{wt}(p_1, b, p_i) = 1$ for $i = 1, 2$, $\text{wt}(p_1, a, p_1) = -1$, $\text{wt}(p_2, c, p_2) = 0$ for $c \in \Sigma$, and
 79 $\text{wt}(p, c, q) = -\infty$ in the remaining cases. Then the maximal deficit of a prefix of the
 80 word $w = a_1 a_2 \dots a_n \in \Sigma^* b \Sigma^*$ equals

$$\max_{q_0, q_1, \dots, q_n \in Q} \left(\text{in}(q_0) + \sum_{1 \leq i \leq n} \text{wt}(q_{i-1}, a_i, q_i) + \text{out}(q_n) \right).$$

81 The similarities between the above examples naturally lead to the definition of a
 82 weighted automaton.

83 **Definition 2.1.** Let S be a set and Σ an alphabet. A *weighted automaton over S and Σ* is
 84 a quadruple $\mathcal{A} = (Q, \text{in}, \text{wt}, \text{out})$ where

- 85 • Q is a finite set of states,
- 86 • $\text{in}, \text{out}: Q \rightarrow S$ are weight functions for entering and leaving a state, resp., and
- 87 • $\text{wt}: Q \times \Sigma \times Q \rightarrow S$ is a transition weight function.

88 The rôle of S in the examples above is played by $\{\text{true}, \text{false}\}$, \mathbb{N} , and $\mathbb{Z} \cup \{-\infty\}$,
 89 resp., i.e., we reformulated all the examples as weighted automata over some appropriate
 90 set S .

91 Note also the similarity of the description of the behaviors in all the examples above.
 92 We now introduce semirings that formalize the similarities between the operations $\vee, +$,
 93 and \max on the one hand, and \wedge, \cdot , and $+$ on the other:

94 **Definition 2.2.** A *semiring* is a structure $(S, +_S, \cdot_S, 0_S, 1_S)$ such that

- 95 • $(S, +_S, 0_S)$ is a commutative monoid,
- 96 • $(S, \cdot_S, 1_S)$ is a monoid,
- 97 • multiplication distributes over addition from the left and from the right, and
- 98 • $0_S \cdot_S s = s \cdot_S 0_S = 0_S$ for all $s \in S$.

99 If no confusion can occur, we often write S for the semiring $(S, +_S, \cdot_S, 0_S, 1_S)$.

100 It is easy to check that the structures $\mathbb{B} = (\{0, 1\}, \vee, \wedge, 0, 1)$, $(\mathbb{N}, +, \cdot, 0, 1)$, and $(\mathbb{Z} \cup$
 101 $\{-\infty\}, \max, +, -\infty, 0)$ are semirings (with $0 = \text{false}$ and $1 = \text{true}$, \mathbb{B} is the semiring
 102 underlying Example 2.1); many further examples are given in [29] and throughout this
 103 chapter. The theory of semirings is described in [54]. The notion of a semiring allows
 104 us to give a common definition of the behavior of weighted automata that subsumes all
 105 those from our examples and, with the language semiring $(\mathcal{P}(\Gamma^*), \cup, \cdot, \emptyset, \{\varepsilon\})$, we even
 106 capture the important notion of a transducer [8]; here $\mathcal{P}(\Gamma^*)$ denotes the powerset of Γ^* .

107 **Definition 2.3.** Let S be a semiring and \mathcal{A} a weighted automaton over S and Σ . A *path*
 108 *in \mathcal{A}* is an alternating sequence $P = q_0 a_1 q_1 \dots a_n q_n \in Q(\Sigma Q)^*$. Its *run weight* is the
 109 product

$$\text{rweight}(P) = \prod_{0 \leq i < n} \text{wt}(q_i, a_{i+1}, q_{i+1})$$

110 (for $n = 0$, this is defined to be 1); the *weight* of P is then defined by

$$\text{weight}(P) = \text{in}(q_0) \cdot \text{rweight}(P) \cdot \text{out}(q_n).$$

111 Furthermore, the *label* of P is the word $\text{label}(P) = a_1 a_2 \dots a_n$. Then the *behavior* of
112 the weighted automaton \mathcal{A} is the function $\|\mathcal{A}\|: \Sigma^* \rightarrow S$ with

$$\|\mathcal{A}\|(w) = \sum_{\substack{P \text{ path with} \\ \text{label}(P)=w}} \text{weight}(P). \quad (2.2)$$

113 Whereas classical automata determine whether a word is accepted or not, weighted
114 automata over the natural semiring \mathbb{N} allow us to *count* the number of successful paths
115 labeled by a word (cf. Example 2.2). Over the semiring $(\mathbb{N} \cup \{-\infty\}, \max, +, -\infty, 0)$,
116 weighted automata can be viewed as determining the maximal amount of resources needed
117 for the execution of a given sequence of actions. Thus, weighted automata determine
118 quantitative properties.

119 **Notational convention** We write $P: p \xrightarrow{w}_{\mathcal{A}} q$ for “ P is a path in the weighted automa-
120 ton \mathcal{A} from p to q with label w ”. From now on, all weighted automata will be over some
121 semiring $(S, +, \cdot, 0, 1)$. We will call functions from Σ^* into S *series*. For such a series r ,
122 it is customary to write (r, w) for $r(w)$. The set of all series from Σ^* into S will be de-
123 noted by $S \langle\langle \Sigma^* \rangle\rangle$. If \mathcal{A} is a weighted automaton, then we get in particular $\|\mathcal{A}\| \in S \langle\langle \Sigma^* \rangle\rangle$
124 and in the above definition, we could have written $(\|\mathcal{A}\|, w)$ instead of $\|\mathcal{A}\|(w)$.

125 **Definition 2.4.** A series $r \in S \langle\langle \Sigma^* \rangle\rangle$ is *recognizable* if it is the behavior of some weighted
126 automaton. The set of all recognizable series is denoted by $S^{\text{rec}} \langle\langle \Sigma^* \rangle\rangle$.

127 For a series $r \in S \langle\langle \Sigma^* \rangle\rangle$, the *support* of r is the set $\text{supp}(r) = \{w \in \Sigma^* \mid (r, w) \neq 0\}$.
128 Also, for a language $L \subseteq \Sigma^*$, we write $\mathbb{1}_L$ for the series with $(\mathbb{1}_L, w) = 1_S$ if $w \in L$ and
129 $(\mathbb{1}_L, w) = 0_S$ otherwise; $\mathbb{1}_L$ is called the *characteristic series of L* . From Example 2.1,
130 it should be clear that a series r in $\mathbb{B} \langle\langle \Sigma^* \rangle\rangle$ is recognizable if and only if the language
131 $\text{supp}(r)$ is regular. Later, we will see that many properties of regular languages transfer
132 to recognizable series (sometimes with very similar proofs). But first, we want to point
133 out some differences.

134 **Example 2.5.** Let $S = (\mathcal{P}(\Sigma^*), \cup, \cdot, \emptyset, \{\varepsilon\})$ and consider the series r with $(r, wa) =$
135 $\{aw\}$ for all words $w \in \Sigma^*$ and letters $a \in \Sigma$, and $(r, \varepsilon) = \emptyset$. Then $r \in S^{\text{rec}} \langle\langle \Sigma^* \rangle\rangle$, but,
136 as is easily verified, there is no deterministic transducer whose behavior equals r . Hence
137 deterministic weighted automata are in general weaker than general weighted automata,
138 i.e., a fundamental property of finite automata (see [89, Prop. 2.3]) does not transfer to
139 weighted automata.

140 **Example 2.6.** Let $S = (\mathbb{N}, +, \cdot, 0, 1)$ and $a \in \Sigma$. We consider the series r with $(r, aa) =$
141 2 and $(r, w) = 0$ for $w \neq aa$. Then there are 4 different (deterministic) weighted automata
142 with three states and behavior r (and none with only two states). Hence, another funda-
143 mental property of finite automata, namely the existence of unique minimal deterministic
144 automata, does not transfer.

145 Recall that the existence of a unique minimal deterministic automaton for a regular
 146 language can be used to decide whether two finite automata accept the same language.
 147 Above, we saw that this approach cannot be used for weighted automata over the semiring
 148 $(\mathbb{N}, +, \cdot, 0, 1)$, but, since this semiring embeds into a field, other methods work in this case
 149 (cf. Section 8). However, there are no universal methods since the equivalence problem
 150 over the semiring $(\mathbb{N} \cup \{-\infty\}, \max, +, -\infty, 0)$ is undecidable, see Section 8.

151 3 Linear presentations

Let S be a semiring and Q_1 and Q_2 sets. We will consider a function from $Q_1 \times Q_2$ into S
 as a matrix whose rows and columns are indexed by elements of Q_1 and Q_2 , respectively.
 Therefore, we will write $M_{p,q}$ for $M(p, q)$ where $M \in S^{Q_1 \times Q_2}$, $p \in Q_1$, and $q \in Q_2$.
 For finite sets Q_1, Q_2, Q_3 , this allows us to define the sum and the product of two matrices
 as usual:

$$(K + M)_{p,q} = K_{p,q} + M_{p,q} \quad (M \cdot N)_{p,r} = \sum_{q \in Q_2} M_{p,q} \cdot N_{q,r}$$

152 for $K, M \in S^{Q_1 \times Q_2}$, $N \in S^{Q_2 \times Q_3}$, $p \in Q_1$, $q \in Q_2$, and $r \in Q_3$. Since in semirings,
 153 multiplication distributes over addition from both sides, matrix multiplication is associa-
 154 tive. For a finite set Q , the *unit matrix* $E \in S^{Q \times Q}$ with $E_{p,q} = 1$ for $p = q$ and $E_{p,q} = 0$
 155 otherwise is the neutral element of the multiplication of matrices. Hence $(S^{Q \times Q}, \cdot, E)$
 156 is a monoid. It is useful to note that the set $S^{Q \times Q}$ with the above operations forms a
 157 semiring.

158 **Lemma 3.1.** *Let $\mathcal{A} = (Q, \text{in}, \text{wt}, \text{out})$ be a weighted automaton and define a mapping*
 159 $\mu: \Sigma^* \rightarrow S^{Q \times Q}$ *by*

$$\mu(w)_{p,q} = \sum_{P: p \xrightarrow{w} q} \text{rweight}(P). \quad (3.1)$$

160 *Then μ is a homomorphism from the free monoid Σ^* to the multiplicative monoid of*
 161 *matrices $(S^{Q \times Q}, \cdot, E)$.*

162 *Proof.* Let $P = p_0 a_1 p_1 \dots a_n p_n$ be a path with label uv and let $|u| = k$. Then $P_1 =$
 163 $p_0 a_1 \dots a_k p_k$ is a u -labeled path, $P_2 = p_k a_{k+1} \dots a_n p_n$ is a v -labeled path, and we
 164 have $\text{rweight}(P) = \text{rweight}(P_1) \cdot \text{rweight}(P_2)$. This simple observation, together with
 165 distributivity in the semiring S , allows us to prove the claim. \square

166 Now let $\mathcal{A} = (Q, \text{in}, \text{wt}, \text{out})$ be a weighted automaton. Define $\lambda \in S^{\{1\} \times Q}$ and
 167 $\gamma \in S^{Q \times \{1\}}$ by $\lambda_{1,p} = \text{in}(p)$ and $\gamma_{q,1} = \text{out}(q)$. With the homomorphism μ from
 168 Lemma 3.1, we obtain for any word $w \in \Sigma^*$ (where we identify a $\{1\} \times \{1\}$ -matrix with
 169 its entry):

$$(|\mathcal{A}|, w) = \sum_{p,q \in Q} \lambda_{1,p} \cdot \mu(w)_{p,q} \cdot \gamma_{q,1} = \lambda \cdot \mu(w) \cdot \gamma. \quad (3.2)$$

170 Subsequently, we consider λ (as usual) as a row vector and γ as a column vector and we
 171 simply write $\lambda, \gamma \in S^Q$.

172 This motivates the following definition.

173 **Definition 3.1** (Schützenberger [97]). A *linear presentation* of dimension Q (where Q is
 174 some finite set) is a triple (λ, μ, γ) such that $\lambda, \gamma \in S^Q$ and $\mu: (\Sigma^*, \cdot, \varepsilon) \rightarrow (S^{Q \times Q}, \cdot, E)$
 175 is a monoid homomorphism. It defines the series $r = \|(\lambda, \mu, \gamma)\|$ with

$$(r, w) = \lambda \cdot \mu(w) \cdot \gamma \quad (3.3)$$

176 for all $w \in \Sigma^*$.

177 Above, we saw that any weighted automaton can be transformed into an equivalent
 178 linear presentation. Now we describe the converse transformation. So let (λ, μ, γ) be a
 179 linear presentation of dimension Q . For $a \in \Sigma$ and $p, q \in Q$, set $\text{wt}(p, a, q) = \mu(a)_{p,q}$,
 180 $\text{in}(q) = \lambda_q$, and $\text{out}(q) = \gamma_q$, and define $\mathcal{A} = (Q, \text{in}, \text{wt}, \text{out})$. Since the morphism μ is
 181 uniquely determined by its restriction to Σ , the linear representation associated with \mathcal{A} is
 182 precisely (λ, μ, γ) , so by Equation (3.2) we obtain $\|\mathcal{A}\| = \|(\lambda, \mu, \gamma)\|$. Hence we showed

183 **Theorem 3.2.** *Let S be a semiring, Σ an alphabet, and $r \in S \langle\langle \Sigma^* \rangle\rangle$. Then r is recognizable
 184 if and only if there exists a linear presentation (λ, μ, γ) with $r = \|(\lambda, \mu, \gamma)\|$.*

185 This theorem explains why some authors (e.g. [76]) use linear presentations to define
 186 recognizable series or even weighted automata.

187 4 The Kleene-Schützenberger theorem

188 The goal of this section is to derive a generalization of Kleene's classical result on the co-
 189 incidence of rational and regular languages in the realm of series over semirings. There-
 190 fore, first we introduce operations in $S \langle\langle \Sigma^* \rangle\rangle$ that correspond to the language-theoretic
 191 operations union, intersection, concatenation, and Kleene iteration (cf. [89]).

192 Let r_1 and r_2 be series. Pointwise addition is defined by

$$(r_1 + r_2, w) = (r_1, w) + (r_2, w).$$

193 Clearly, this operation is associative and has the constant series with value 0 as neutral
 194 element. Furthermore, it generalizes the union of languages since, in the Boolean semi-
 195 ring \mathbb{B} , we have $\text{supp}(r_1 + r_2) = \text{supp}(r_1) \cup \text{supp}(r_2)$ and $\mathbb{1}_{K \cup L} = \mathbb{1}_K + \mathbb{1}_L$.

196 Any family of languages has a union, so one is tempted to also define the sum of
 197 arbitrary sets of series. But this fails in general since it would require the sum of infinitely
 198 many elements of the semiring S (which, e.g. in $(\mathbb{N}, +, \cdot, 0, 1)$, does not exist). But certain
 199 families can be summed: a family $(r_i)_{i \in I}$ of series is *locally finite* if, for any word $w \in$
 200 Σ^* , there are only finitely many $i \in I$ with $(r_i, w) \neq 0$. For such families, we can define

$$\left(\sum_{i \in I} r_i, w \right) = \sum_{\substack{i \in I \text{ with} \\ (r_i, w) \neq 0}} (r_i, w).$$

201 Let $r_1, r_2 \in S \langle\langle \Sigma^* \rangle\rangle$. Pointwise multiplication is defined by

$$(r_1 \odot r_2, w) = (r_1, w) \cdot (r_2, w).$$

202 This operation is called *Hadamard product*, is clearly associative, has the constant series with value 1 as neutral element, and distributes over addition. If S is the Boolean semiring \mathbb{B} , then the Hadamard product corresponds to intersection:

$$\text{supp}(r_1 \odot r_2) = \text{supp}(r_1) \cap \text{supp}(r_2) \text{ and } \mathbb{1}_K \odot \mathbb{1}_L = \mathbb{1}_{K \cap L}$$

205 Other simple and natural operations are the *left* and *right scalar multiplication* that are defined by

$$(s \cdot r, w) = s \cdot (r, w) \text{ and } (r \cdot s, w) = (r, w) \cdot s$$

207 for $s \in S$ and $r \in S \langle\langle \Sigma^* \rangle\rangle$. If S is the Boolean semiring \mathbb{B} , then $s \in \{0, 1\}$ and we have $1 \cdot r = r$ as well as $(0 \cdot r, w) = 0$ for all words w and series r .

209 The counterpart of singleton languages in the realm of series are monomials: a *monomial* is a series r with $|\text{supp}(r)| \leq 1$. With $w \in \Sigma^*$ and $s \in S$, we will write sw for the monomial r with $(r, w) = s$. Let r be an arbitrary series. Then the family of monomials $((r, w)w)_{w \in \Sigma^*}$ is locally finite and can therefore be summed. Then one obtains

$$r = \sum_{w \in \Sigma^*} (r, w)w = \sum_{w \in \text{supp}(r)} (r, w)w.$$

213 If the support of r is finite, then the second sum has only finitely many summands which is the reason to call r a *polynomial* in this case; the set of polynomials is denoted $S \langle \Sigma^* \rangle$, so $S \langle \Sigma^* \rangle \subseteq S \langle\langle \Sigma^* \rangle\rangle$. The similarity with polynomials makes it natural to define another product of the series r_1 and r_2 by

$$(r_1 \cdot r_2, w) = \sum_{w=uv} (r_1, u) \cdot (r_2, v).$$

217 Since the word w has only finitely many factorizations into u and v , the right-hand side has only finitely many summands and is therefore well-defined. This important product is called *Cauchy-product* of the series r_1 and r_2 . If r_1 and r_2 are polynomials, then $r_1 \cdot r_2$ is precisely the usual product of polynomials. For the Boolean semiring, we get

$$\text{supp}(r_1 \cdot r_2) = \text{supp}(r_1) \cdot \text{supp}(r_2) \text{ and } \mathbb{1}_K \cdot \mathbb{1}_L = \mathbb{1}_{K \cdot L},$$

221 i.e., the Cauchy-product is the counterpart of concatenation of languages. For any semiring S , the monomial 1ε is the neutral element of the Cauchy-product. It requires a short calculation to show that the Cauchy-product is associative and distributes over the addition of series. As a very useful consequence, $(S \langle\langle \Sigma^* \rangle\rangle, +, \cdot, 0, 1\varepsilon)$ is a semiring (note that the set of polynomials $S \langle \Sigma^* \rangle$ forms a subsemiring of this semiring). For the Boolean semiring \mathbb{B} , this semiring is isomorphic to $(\mathcal{P}(\Sigma^*), \cup, \cdot, \emptyset, \{\varepsilon\})$, an isomorphism is given by $r \mapsto \text{supp}(r)$ with inverse $L \mapsto \mathbb{1}_L$.

228 In the theory of recognizable languages, the Kleene-iteration L^* of a language L is of central importance. It is defined as the union of all the powers L^n of L (for $n \geq 0$). To also define the iteration r^* of a series, one would therefore try to sum all finite powers r^n (defined by $r^0 = 1\varepsilon$ and $r^{n+1} = r^n \cdot r$). In general, the family $(r^n)_{n \geq 0}$ is not locally finite, so it cannot be summed. We therefore define the iteration r^* only for r proper: a

233 series r is *proper* if $(r, \varepsilon) = 0$. Then, for $n > |w|$, one has $(r^n, w) = 0$, so the family
 234 $(r^n)_{n \geq 0}$ is locally finite and we can set

$$r^* = \sum_{n \geq 0} r^n \text{ or equivalently } (r^*, w) = \sum_{0 \leq n \leq |w|} (r^n, w).$$

235 For the Boolean semiring and $L \subseteq \Sigma^+$, we get

$$\text{supp}(r^*) = (\text{supp}(r))^* \text{ and } (\mathbb{1}_L)^* = \mathbb{1}_{L^*}.$$

236 Recall from [89, Sect. 2.1] that a language is rational if it can be constructed from the finite
 237 languages by union, concatenation, and Kleene-iteration. Here, we give the analogous
 238 definition for series:

239 **Definition 4.1.** A series from $S \langle\langle \Sigma^* \rangle\rangle$ is *rational* if it can be constructed from the mono-
 240 nomials sa for $s \in S$ and $a \in \Sigma \cup \{\varepsilon\}$ by addition, Cauchy-product, and iteration (applied
 241 to proper series, only). The set of all rational series is denoted by $S^{\text{rat}} \langle\langle \Sigma^* \rangle\rangle$.

242 Observe that the class of rational series is closed under scalar multiplication since $s\varepsilon$
 243 is a monomial, $s \cdot r = s\varepsilon \cdot r$ and $r \cdot s = r \cdot s\varepsilon$ for $r \in S \langle\langle \Sigma^* \rangle\rangle$ and $s \in S$.

244 **Example 4.1.** Consider the Boolean semiring \mathbb{B} and $r \in \mathbb{B} \langle\langle \Sigma^* \rangle\rangle$. If r is a rational series,
 245 then the above formulas show that $\text{supp}(r)$ is a rational language since supp commutes
 246 with the rational operations $+$, \cdot , and $*$ for series and \cup , \cdot , and $*$ for languages. Now
 247 suppose that, conversely, $\text{supp}(r)$ is a rational language. To show that also r is a rati-
 248 onal series, one needs that any rational language can be constructed in such a way that
 249 Kleene-iteration is only applied to languages in Σ^+ . Having ensured this, the remaining
 250 calculations are again straightforward. Thus, indeed, our notion of rational series is the
 251 counterpart of the notion of a rational language.

252 Hence, rational languages are precisely the supports of series in $\mathbb{B}^{\text{rat}} \langle\langle \Sigma^* \rangle\rangle$ and recog-
 253 nizable languages are the supports of series in $\mathbb{B}^{\text{rec}} \langle\langle \Sigma^* \rangle\rangle$ (cf. Example 2.1). Now Kleene's
 254 theorem [89, Theorem 4.11] implies $\mathbb{B}^{\text{rec}} \langle\langle \Sigma^* \rangle\rangle = \mathbb{B}^{\text{rat}} \langle\langle \Sigma^* \rangle\rangle$. It is the aim of this section
 255 to prove this equality for arbitrary semirings. This is achieved by first showing that every
 256 rational series is recognizable. The other inclusion will be shown in Section 4.2.

257 4.1 Rational series are recognizable

258 For this implication, we generalize the techniques from [89, Section 3.1-3.3] from classi-
 259 cal to weighted automata and prove that the set of recognizable series contains the mono-
 260 nomials sa and $s\varepsilon$ and is closed under the necessary operations. To show this closure, we
 261 have two possibilities (a third one is sketched after the proof of Theorem 5.1): either the
 262 purely automata-theoretic approach that constructs weighted automata, or the more alge-
 263 braic approach that handles linear presentations. We chose to give the automata construc-
 264 tions for monomials and addition, and the linear presentations for the Cauchy-product and
 265 the iteration. The reader might decide which approach she prefers and translate some of
 266 the constructions from one to the other.

267 There is a weighted automaton with just one state q and behavior the monomial $s\varepsilon$:
 268 just set $\text{in}(q) = s$, $\text{out}(q) = 1$ and $\text{wt}(q, a, q) = 0$ for all $a \in \Sigma$. For any $a \in \Sigma$, there
 269 is a two-states weighted automaton with the monomial sa as behavior. If \mathcal{A}_1 and \mathcal{A}_2 are
 270 two weighted automata, then the behavior of their disjoint union equals $\|\mathcal{A}_1\| + \|\mathcal{A}_2\|$.

271 We next show that also the Cauchy-product of two recognizable series is recognizable:

272 **Lemma 4.1.** *If r_1 and r_2 are recognizable series, then so is $r_1 \cdot r_2$.*

Proof. By Theorem 3.2, the series r_i has a linear presentation $(\lambda^i, \mu^i, \gamma^i)$ of dimension Q^i with $Q^1 \cap Q^2 = \emptyset$. We define a row vector λ and a column vector γ of dimension $Q = Q^1 \cup Q^2$ as well as a matrix $\mu(w)$ for $w \in \Sigma^*$ of dimension $Q \times Q$:

$$\lambda = (\lambda^1 \quad 0) \quad \mu(w) = \begin{pmatrix} \mu^1(w) & \sum_{\substack{w=uv, v \neq \varepsilon}} \mu^1(u)\gamma^1\lambda^2\mu^2(v) \\ 0 & \mu^2(w) \end{pmatrix} \quad \gamma = \begin{pmatrix} \gamma^1\lambda^2\gamma^2 \\ \gamma^2 \end{pmatrix}$$

The reader is invited to check that μ is actually a monoid homomorphism from $(\Sigma^*, \cdot, \varepsilon)$ into $(S^{Q \times Q}, \cdot, E)$, i.e., that (λ, μ, γ) is a linear presentation. One then gets

$$\begin{aligned} \lambda \cdot \mu(w) \cdot \gamma &= \lambda^1 \mu^1(w) \gamma^1 \lambda^2 \gamma^2 + \lambda^1 \sum_{\substack{w=uv \\ v \neq \varepsilon}} \mu^1(u) \gamma^1 \lambda^2 \mu^2(v) \gamma^2 \\ &= (r_1, w) \cdot (r_2, \varepsilon) + \sum_{\substack{w=uv \\ v \neq \varepsilon}} (r_1, u)(r_2, v) \\ &= (r_1 \cdot r_2, w). \end{aligned}$$

273 By Theorem 3.2, the series $\|(\lambda, \mu, \gamma)\| = r_1 \cdot r_2$ is recognizable. \square

274 **Lemma 4.2.** *Let r be a proper and recognizable series. Then r^* is recognizable.*

275 *Proof.* There exists a linear presentation (λ, μ, γ) of dimension Q with $r = \|(\lambda, \mu, \gamma)\|$.
 276 Consider the homomorphism $\mu' : (\Sigma^*, \cdot, \varepsilon) \rightarrow (S^{Q \times Q}, \cdot, E)$ defined, for $a \in \Sigma$, by

$$\mu'(a) = \mu(a) + \gamma \lambda \mu(a).$$

Let $w = a_1 a_2 \dots a_n \in \Sigma^+$. Using distributivity of matrix multiplication or, alternatively, induction on n , it follows

$$\begin{aligned} \mu'(w) &= \prod_{1 \leq i \leq n} (\mu(a_i) + \gamma \lambda \mu(a_i)) \\ &= \sum_{\substack{w=w_1 \dots w_k \\ w_i \in \Sigma^+}} \left((\mu(w_1) + \gamma \lambda \mu(w_1)) \cdot \prod_{2 \leq j \leq k} \gamma \lambda \mu(w_j) \right). \end{aligned}$$

Note that $\lambda \gamma = \lambda \mu(\varepsilon) \gamma = (r, \varepsilon) = 0$. Hence we obtain

$$\begin{aligned} \lambda \mu'(w) \gamma &= \sum_{\substack{w=w_1 \dots w_k \\ w_i \in \Sigma^+}} \left(\lambda(\mu(w_1) + \gamma \lambda \mu(w_1)) \cdot \prod_{2 \leq j \leq k} \gamma \lambda \mu(w_j) \right) \gamma \\ &= \sum_{\substack{w=w_1 \dots w_k \\ w_i \in \Sigma^+}} \prod_{1 \leq j \leq k} \lambda \mu(w_j) \gamma \\ &= (r^*, w) \end{aligned}$$

277 as well as $\lambda \mu'(\varepsilon) \gamma = 0$. Hence $r^* = \|(\lambda, \mu', \gamma)\| + 1\varepsilon$ is recognizable. \square

278 Recall that the Hadamard-product generalizes the intersection of languages and that
279 the intersection of regular languages is regular. The following result extends this latter
280 fact to the weighted setting (since the Boolean semiring is commutative). We say that two
281 subsets $S_1, S_2 \subseteq S$ commute, if $s_1 \cdot s_2 = s_2 \cdot s_1$ for all $s_1 \in S_1, s_2 \in S_2$.

282 **Lemma 4.3.** *Let S_1 and S_2 be two subsemirings of the semiring S such that S_1 and S_2
283 commute. If $r_1 \in S_1^{\text{rec}} \langle\langle \Sigma^* \rangle\rangle$ and $r_2 \in S_2^{\text{rec}} \langle\langle \Sigma^* \rangle\rangle$, then $r_1 \odot r_2 \in S^{\text{rec}} \langle\langle \Sigma^* \rangle\rangle$.*

Proof. For $i = 1, 2$, let $\mathcal{A}_i = (Q_i, \text{in}_i, \text{wt}_i, \text{out}_i)$ be weighted automata over S_i with $\|\mathcal{A}_i\| = r_i$. We define the product automaton \mathcal{A} with states $Q_1 \times Q_2$ as follows:

$$\begin{aligned} \text{in}(p_1, p_2) &= \text{in}_1(p_1) \cdot \text{in}_2(p_2) \\ \text{wt}((p_1, p_2), a, (q_1, q_2)) &= \text{wt}_1(p_1, a, q_1) \cdot \text{wt}_2(p_2, a, q_2) \\ \text{out}(p_1, p_2) &= \text{out}_1(p_1) \cdot \text{out}_2(p_2) \end{aligned}$$

Then, $(\|\mathcal{A}\|, w) = (\|\mathcal{A}_1\| \odot \|\mathcal{A}_2\|, w)$ follows for all words w . For example, for a letter $a \in \Sigma$ we calculate as follows using the commutativity assumption and distributivity:

$$\begin{aligned} (\|\mathcal{A}\|, a) &= \sum_{(p_1, p_2), (q_1, q_2) \in Q} \left(\begin{array}{c} (\text{in}_1(p_1) \cdot \text{in}_2(p_2)) \cdot (\text{wt}_1(p_1, a, q_1) \cdot \text{wt}_2(p_2, a, q_2)) \\ \cdot (\text{out}_1(q_1) \cdot \text{out}_2(q_2)) \end{array} \right) \\ &= \sum_{(p_1, p_2), (q_1, q_2) \in Q} \left(\begin{array}{c} \text{in}_1(p_1) \cdot \text{wt}_1(p_1, a, q_1) \cdot \text{out}_1(q_1) \\ \cdot \text{in}_2(p_2) \cdot \text{wt}_2(p_2, a, q_2) \cdot \text{out}_2(q_2) \end{array} \right) \\ &= \left(\sum_{p_1, q_1 \in Q_1} \text{in}_1(p_1) \cdot \text{wt}_1(p_1, a, q_1) \cdot \text{out}_1(q_1) \right) \\ &\quad \cdot \left(\sum_{p_2, q_2 \in Q_2} \text{in}_2(p_2) \cdot \text{wt}_2(p_2, a, q_2) \cdot \text{out}_2(q_2) \right) \\ &= (\|\mathcal{A}_1\|, a) \cdot (\|\mathcal{A}_2\|, a) = (\|\mathcal{A}_1\| \odot \|\mathcal{A}_2\|, a) \end{aligned}$$

284

\square

285 We remark that the above lemma does not hold without the commutativity assumption:

286 **Example 4.2.** Let $\Sigma = \{a, b\}$, $S = (\mathcal{P}(\Sigma^*), \cup, \cdot, \emptyset, \{\varepsilon\})$, and consider the recognizable
 287 series r given by $(r, w) = \{w\}$ for $w \in \Sigma^*$. Then $(r \odot r, w) = \{ww\}$ and pumping
 288 arguments show that $r \odot r$ is not recognizable.

289 Note that the Hadamard product $r \odot \mathbb{1}_L$ can be understood as the “restriction” of
 290 $r: \Sigma^* \rightarrow S$ to $L \subseteq \Sigma^*$. As a consequence of Lemma 4.3, we obtain that these “restrictions”
 291 of recognizable series to regular languages are again recognizable.

292 **Corollary 4.4.** *Let $r \in S \langle\langle \Sigma^* \rangle\rangle$ be recognizable and let $L \subseteq \Sigma^*$ be a regular language.
 293 Then $r \odot \mathbb{1}_L$ is recognizable.*

294 *Proof.* Let \mathcal{A} be a deterministic automaton accepting L with set of states Q . Then weight
 295 by 1 those triples $(p, a, q) \in Q \times \Sigma \times Q$ that are transitions, the initial resp. final states
 296 with initial resp. final weight by 1, and all other triples resp. states with 0. This gives a
 297 weighted automaton with behavior $\mathbb{1}_L$. Since S commutes with its subsemiring generated
 298 by 1, Lemma 4.3 implies the result. \square

299 4.2 Recognizable series are rational

300 For this implication, we will transform a weighted automaton into a system of equations
 301 and then show that any solution of such a system is rational. This generalizes the tech-
 302 niques from [89, Section 4.3]. The following lemma (that generalizes [89, Prop. 4.6]) will
 303 be helpful and is also of independent interest (cf. [29, Section 5]).

304 **Lemma 4.5.** *Let $r, r', s \in S \langle\langle \Sigma^* \rangle\rangle$ with r proper and $s = r \cdot s + r'$. Then $s = r^* r'$.*

Proof. Let $w \in \Sigma^*$. First observe that

$$\begin{aligned} s &= r s + r' \\ &= r(r s + r') + r' = r^2 s + r r' + r' \\ &\vdots \\ &= r^{|w|+1} s + \sum_{0 \leq i \leq |w|} r^i r'. \end{aligned}$$

Since r is proper, we have $(r^i, u) = 0$ for all $u \in \Sigma^*$ and $i > |u|$. This implies

$$\begin{aligned} (r^* r', w) &= \sum_{w=uv} (r^*, u) \cdot (r', v) = \sum_{w=uv} \left(\sum_{0 \leq i \leq |w|} (r^i, u) \right) \cdot (r', v) = \sum_{0 \leq i \leq |w|} (r^i r', w) \\ &= (s, w). \end{aligned} \quad \square$$

Now let $\mathcal{A} = (Q, \text{in}, \text{wt}, \text{out})$ be a weighted automaton. For $p \in Q$, define a new
 weighted automaton $\mathcal{A}_p = (Q, \text{in}_p, \text{wt}, \text{out})$ by $\text{in}_p(p') = 1$ for $p = p'$ and $\text{in}_p(p') = 0$

otherwise. Since all the entry weights of these weighted automata are 0 or 1, we have

$$\|\mathcal{A}\| = \sum_{(p,a,q) \in Q \times \Sigma \times Q} \text{in}(p) \text{wt}(p,a,q) a \cdot \|\mathcal{A}_q\| + \sum_{p \in Q} \text{in}(p) \text{out}(p) \varepsilon$$

and for all $p \in Q$

$$\|\mathcal{A}_p\| = \sum_{(p,a,q) \in Q \times \Sigma \times Q} \text{wt}(p,a,q) a \cdot \|\mathcal{A}_q\| + \text{out}(p) \varepsilon.$$

305 This transformation proves

306 **Lemma 4.6.** *Let r be a recognizable series. Then there are rational series $r_{ij}, r_i \in$*
 307 *$S \langle\langle \Sigma^* \rangle\rangle$ with r_{ij} proper and a solution (s_1, \dots, s_n) with $s_1 = r$ of a system of equations*

$$\left(X_i = \sum_{1 \leq j \leq n} r_{ij} X_j + r_i \right)_{1 \leq i \leq n}. \quad (4.1)$$

308 A series s is *rational over the series* $\{s_1, \dots, s_n\}$ *if it can be constructed from the*
 309 *monomials and the series s_1, \dots, s_n by addition, Cauchy-product, and iteration (applied*
 310 *to proper series, only).*

311 We prove by induction on n that any solution of a system of the form (4.1) consists of
 312 rational series. For $n = 1$, the system is a single equation of the form $X_1 = r_{11} X_1 + r_1$
 313 with $r_{11}, r_1 \in S^{\text{rat}} \langle\langle \Sigma^* \rangle\rangle$ and r_{11} proper. Hence, by Lemma 4.5, the solution s_1 equals
 314 $r_{11}^* r_1$ and is therefore rational. Now assume that any system with $n - 1$ unknowns has
 315 only rational solutions and consider a solution (s_1, \dots, s_n) of (4.1). Then we have

$$s_n = r_{nn} s_n + \sum_{1 \leq j < n} r_{nj} s_j + r_n$$

316 and therefore by Lemma 4.5

$$s_n = r_{nn}^* \cdot \left(\sum_{1 \leq j < n} r_{nj} s_j + r_n \right).$$

317 In particular, s_n is rational over $\{s_1, s_2, \dots, s_{n-1}\}$ since r_{nj} and r_n are all rational. Since
 318 (s_1, \dots, s_n) is a solution of the system (4.1), we obtain

$$s_i = \sum_{1 \leq j < n} (r_{ij} + r_{in} r_{nn}^* r_{nj}) s_j + r_{in} r_{nn}^* r_n + r_i$$

319 for all $1 \leq i < n$. Since r_{ij} and r_{in} are proper and rational, so is $r_{ij} + r_{in} r_{nn}^* r_{nj}$. Hence
 320 (s_1, \dots, s_{n-1}) is a solution of a system of equations of the form (4.1) with $n-1$ unknowns
 321 implying by the induction hypothesis that the series s_1, \dots, s_{n-1} are all rational. Since
 322 s_n is rational over s_1, \dots, s_{n-1} , it is therefore rational, too. This completes the inductive
 323 proof of the following lemma.

324 **Lemma 4.7.** *Let $r_{ij}, r_i \in S^{\text{rat}} \langle\langle \Sigma^* \rangle\rangle$ with r_{ij} proper and let (s_1, \dots, s_n) be a solution of*
 325 *the system of equations (4.1). Then all the series s_1, \dots, s_n are rational.*

326 From Lemmas 4.6 and 4.7, we obtain that any recognizable series is rational. Together
 327 with Lemmas 4.1, 4.2, and the arguments from the beginning of Section 4.1, we obtain

328 **Theorem 4.8** (Schützenberger [97]). *Let S be a semiring, Σ an alphabet, and $r \in$
 329 $S \langle\langle \Sigma^* \rangle\rangle$. Then r is recognizable if and only if it is rational, i.e., $S^{\text{rec}} \langle\langle \Sigma^* \rangle\rangle = S^{\text{rat}} \langle\langle \Sigma^* \rangle\rangle$.*

5 Semimodules

330

If, in the definition of a vector space, one replaces the underlying field by a semiring, one obtains a semimodule. More formally, let S be a semiring. An S -semimodule is a commutative monoid $(M, +, 0_M)$ together with a left scalar multiplication $S \times M \rightarrow M$ satisfying all the usual laws (with $s, s' \in S$ and $r, r' \in M$):

$$\begin{array}{ll} (s + s')r = sr + s'r & (s \cdot s')r = s(s'r) \\ s(r + r') = sr + sr' & 1r = r \\ 0r = 0_M & s0_M = 0_M \end{array}$$

331 In our context, the most interesting example is the S -semimodule $S \langle\langle \Sigma^* \rangle\rangle$ of series
 332 over Σ . The additive structure of the semimodule is pointwise addition and the left scalar
 333 multiplication is as defined before.

334 A *subsemimodule* of the S -semimodule $(M, +, 0_M)$ is a set $N \subseteq M$ that is closed
 335 under addition and left scalar multiplication. A set $X \subseteq M$ *generates* the subsemimod-
 336 ular $N = \langle X \rangle$ if N is the least subsemimodule containing X . Equivalently, all elements of
 337 N can be written as linear combinations of elements from X . The subsemimodule N is
 338 *finitely generated* if it is generated by a finite set. A simple example of a subsemimodule
 339 of $S \langle\langle \Sigma^* \rangle\rangle$ is the set of polynomials $S \langle \Sigma^* \rangle$, i.e. of series with finite support. But this
 340 subsemimodule is not finitely generated. The set of constant series is a finitely generated
 341 subsemimodule.

342 The following is specific for the semimodule of series. For $r \in S \langle\langle \Sigma^* \rangle\rangle$ and $u \in \Sigma^*$,
 343 the series $u^{-1}r$ is defined by

$$(u^{-1}r, w) = (r, uw)$$

344 for all $w \in \Sigma^*$. A subsemimodule N of $S \langle\langle \Sigma^* \rangle\rangle$ is *stable* if $r \in N$ implies $u^{-1}r \in N$ for
 345 all $u \in \Sigma^*$.

346 **Theorem 5.1** (Fliess [51] and Jacob [61]). *Let S be a semiring, Σ an alphabet, and
 347 $r \in S \langle\langle \Sigma^* \rangle\rangle$. Then r is recognizable if and only if there exists a finitely generated and
 348 stable subsemimodule N of $S \langle\langle \Sigma^* \rangle\rangle$ with $r \in N$.*

349 For the boolean semiring \mathbb{B} , any finitely generated subsemimodule of $\mathbb{B} \langle\langle \Sigma^* \rangle\rangle$ is finite.
 350 Therefore the above equivalence extends the well-known result that a language is regular
 351 if and only if it has finitely many left-quotients (cf. [89, Prop. 3.10]).

352 *Proof.* First, let $\mathcal{A} = (Q, \text{in}, \text{wt}, \text{out})$ be a weighted automaton with $r = \|\mathcal{A}\|$. For
 353 $q \in Q$, define $\text{in}_q: Q \rightarrow S$ by $\text{in}_q(q) = 1$ and $\text{in}_q(p) = 0$ for $p \neq q$, and let $\mathcal{A}_q =$

354 $(Q, \text{in}_q, \text{wt}, \text{out})$. Let N be the subsemimodule generated by $\{||\mathcal{A}_q|| \mid q \in Q\}$. Since
 355 $r = ||\mathcal{A}|| = \sum_{q \in Q} \text{in}(q) ||\mathcal{A}_q||$, we get $r \in N$. Note that, for $a \in \Sigma$ and $p \in Q$, we have

$$a^{-1} ||\mathcal{A}_p|| = \sum_{q \in Q} \text{wt}(p, a, q) ||\mathcal{A}_q||$$

356 which allows us to prove by simple calculations that N is stable.

Conversely, let N be finitely generated by $\{r_1, \dots, r_n\}$ and stable and let $r \in N$. For all $a \in \Sigma$ and $1 \leq i \leq n$, we have $a^{-1}r_i = \sum_{1 \leq j \leq n} s_{ij}r_j$ with suitable $s_{ij} \in S$. Then there exists a unique morphism $\mu: \Sigma^* \rightarrow S^{n \times n}$ with $\mu(a)_{ij} = s_{ij}$ for $a \in \Sigma$. By induction on the length of $w \in \Sigma^*$, we can show that $w^{-1}r_i = \sum_{1 \leq j \leq n} \mu(w)_{ij}r_j$. Hence

$$(r_i, w) = (w^{-1}r_i, \varepsilon) = \sum_{1 \leq j \leq n} \mu(w)_{ij}(r_j, \varepsilon).$$

357 Since $r \in N$, we have $r = \sum_{1 \leq i \leq n} \lambda_i r_i$ for some $\lambda_i \in S$. With $\gamma_j = (r_j, \varepsilon)$, we obtain

$$(r, w) = \sum_{1 \leq i, j \leq n} \lambda_i \cdot \mu(w)_{ij} \cdot \gamma_j = \lambda \cdot \mu(w) \cdot \gamma$$

358 showing that (λ, μ, γ) is a linear presentation of r . Hence r is recognizable by Theo-
 359 rem 3.2. \square

360 Inductively, one can show that every rational series belongs to a finitely generated and
 361 stable subsemimodule, cf. [10]. Together with the theorem above, this is an alternative
 362 proof of the fact that every rational series is recognizable (cf. Theorem 4.8).

363 6 Nivat's theorem

364 Nivat's theorem [85] (cf. [57, Theorem 3.5]) provides an insight into the concatenation of
 365 mappings and, as we will see, recognizability of certain simple series. More precisely, it
 366 asserts that every proper recognizable series $r \in S \langle\langle \Sigma^* \rangle\rangle$ can be decomposed into three
 367 particular series, namely an inverse monoid homomorphism $h^{-1}: \Sigma^* \rightarrow \mathcal{P}(\Gamma^*)$ with
 368 $h: \Gamma^* \rightarrow \Sigma^*$, a recognizable "selection series" $\text{sel}: \Gamma^* \rightarrow \mathcal{P}(\Gamma^*)$ satisfying $(\text{sel}, v) \subseteq$
 369 $\{v\}$, and a homomorphism $c: (\Gamma^*, \cdot, \varepsilon) \rightarrow (S, \cdot, 1)$. Conversely, assuming $h(a) \neq \varepsilon$ for
 370 all $a \in \Gamma$, the composition of h^{-1} , sel , and c is recognizable.

371 A mapping $\text{sel}: \Gamma^* \rightarrow \mathcal{P}(\Gamma^*)$ is a *selection series* if $(\text{sel}, v) \subseteq \{v\}$ for all $v \in \Gamma^*$.
 372 Let $\text{fin}(\Gamma^*)$ denote the set of all finite subsets of Γ^* . Then $(\text{fin}(\Gamma^*), \cup, \cdot, \emptyset, \{\varepsilon\})$ is a
 373 (computable) subsemiring of $\mathcal{P}(\Gamma^*)$. For brevity, this subsemiring is denoted by $\text{fin}(\Gamma^*)$.

374 **Lemma 6.1.** (1) A selection series $\text{sel} \in \text{fin}(\Gamma^*) \langle\langle \Gamma^* \rangle\rangle$ is recognizable if and only if
 375 its support $K = \{v \in \Gamma^* \mid v \in (\text{sel}, v)\}$ is regular.

376 (2) If $c: (\Gamma^*, \cdot, \varepsilon) \rightarrow (S, \cdot, 1)$ is a monoid homomorphism, then c is a recognizable
 377 series in $S \langle\langle \Gamma^* \rangle\rangle$.

378 *Proof.* (1) We first prove the implication " \Leftarrow ". So let K be regular. Then, in an arbi-
 379 trary finite automaton accepting K , weight any a -labeled transition with $\{a\}$ (for

380 $a \in \Gamma$), and weight the initial and final states by $\{\varepsilon\}$. This gives a weighted au-
 381 tomaton with behavior sel .

382 The other direction follows from Proposition 9.5 below since $K = \text{supp}(\text{sel})$.

383 (2) This series is the behavior of a weighted automaton with just one state. \square

384 By [89, Prop. 2.1 and 3.9] morphisms and inverse morphisms preserve the regularity
 385 of languages. Next we show the analogous fact for series which is also of independent
 386 interest.

387 **Lemma 6.2.** *Let $r \in S \langle\langle \Gamma^* \rangle\rangle$ be recognizable.*

388 (1) *If $h: \Sigma^* \rightarrow \Gamma^*$ is a homomorphism, then the series $r \circ h \in S \langle\langle \Sigma^* \rangle\rangle$ with $(r \circ h, w) =$
 389 $(r, h(w))$ is recognizable.*

390 (2) *If $h: \Gamma^* \rightarrow \Sigma^*$ is a homomorphism with $h(a) \neq \varepsilon$ for all $a \in \Gamma$, then the series
 391 $r \circ h^{-1} \in S \langle\langle \Sigma^* \rangle\rangle$ with $(r \circ h^{-1}, w) = \sum_{v \in h^{-1}(w)} (r, v)$ is recognizable.*

392 Note that $h(a) \neq \varepsilon$ in the second statement implies $|h(v)| \geq |v|$. Hence, for any
 393 $w \in \Sigma^*$, there are only finitely many words v with $h(v) = w$. Hence the series is well-
 394 defined.

395 *Proof.* (1) If (λ, μ, γ) is a representation of r , then $\mu \circ h$ is a morphism and $(\lambda, \mu \circ h, \gamma)$
 396 represents $r \circ h$, as is easy to check.

397 (2) By Theorem 4.8, r is rational, and an inductive proof shows that $r \circ h^{-1}$ is rational,
 398 too. Hence it is recognizable by Theorem 4.8, again. \square

399 Next, if $c: \Gamma^* \rightarrow S$ is a mapping and $\text{sel}: \Gamma^* \rightarrow \text{fin}(\Gamma^*)$ is a selection series, then we
 400 define the series $c \circ \text{sel}: \Gamma^* \rightarrow S$ by

$$(c \circ \text{sel}, v) = \begin{cases} c(v) & \text{if } (\text{sel}, v) = \{v\} \\ 0 & \text{otherwise.} \end{cases}$$

401 **Theorem 6.3** (cf. Nivat [85]). *Let S be a semiring, Σ an alphabet, and $r \in S \langle\langle \Sigma^* \rangle\rangle$
 402 with $(r, \varepsilon) = 0$. Then r is recognizable if and only if there exist an alphabet Γ , a
 403 homomorphism $h: \Gamma^* \rightarrow \Sigma^*$ with $h(a) \neq \varepsilon$ for all $a \in \Gamma$, a recognizable selection
 404 series $\text{sel} \in \text{fin}(\Gamma^*) \langle\langle \Gamma^* \rangle\rangle$, and a homomorphism $c: (\Gamma^*, \cdot, \varepsilon) \rightarrow (S, \cdot, 1)$ such that
 405 $r = c \circ \text{sel} \circ h^{-1}$.*

406 *Proof.* We first prove the implication “ \Leftarrow ”. Let $K = \text{supp}(\text{sel})$. By Lemma 6.1(1), K is
 407 regular. Note that $c \circ \text{sel} = c \odot \mathbb{1}_K$. Hence $c \circ \text{sel}$ is recognizable by Lemma 6.1(2) and
 408 Corollary 4.4. Therefore, $c \circ \text{sel} \circ h^{-1}$ is recognizable by Lemma 6.2(2).

Conversely, let $\mathcal{A} = (Q, \text{in}, \text{wt}, \text{out})$ be a weighted automaton with $r = \|\mathcal{A}\|$. Set

$$\begin{aligned} \Gamma &= (Q \uplus Q \times \{1\}) \times \Sigma \times (Q \uplus Q \times \{2\}), \\ h(p', a, q') &= a, \text{ and} \\ c(p', a, q') &= \begin{cases} \text{wt}(p', a, q') & \text{if } p', q' \in Q \\ \text{in}(p) \cdot \text{wt}(p, a, q') & \text{if } p' = (p, 1), q' \in Q \\ \text{wt}(p', a, q) \cdot \text{out}(q) & \text{if } p' \in Q, q' = (q, 2) \\ \text{in}(p) \cdot \text{wt}(p, a, q) \cdot \text{out}(q) & \text{if } p' = (p, 1), q' = (q, 2) \\ 0 & \text{otherwise} \end{cases} \end{aligned}$$

409 for $(p', a, q') \in \Gamma$. Furthermore, let K be the set of words

$$((p_0, 1), a_1, p_1)(p_1, a_2, p_2) \dots (p_{n-1}, a_n, (p_n, 2))$$

410 with $p_i \in Q$ for all $0 \leq i \leq n$. Then K is regular and corresponds to the set of paths in \mathcal{A} .
 411 This allows us to prove $(r, w) = (\|\mathcal{A}\|, w) = \sum_{v \in h^{-1}(w) \cap K} c(v)$, i.e., $r = c \circ \text{sel}_K \circ h^{-1}$
 412 with $\text{sel}_K(v) = \{v\} \cap K$. But sel_K is recognizable by Lemma 6.1(1). \square

413 A recent extension of Theorem 6.3 to weighted timed automata was given in [36].

414 7 Weighted monadic second order logic

415 Fundamental results by Büchi, by Elgot and by Trakhtenbrot [18, 44, 104] state that a
 416 language is regular if and only if it is definable in monadic second order (MSO) logic
 417 (see also [103, 63, 75]). Here, we wish to extend this result to a quantitative setting and
 418 thereby obtain a further characterization of the recognizability of a series $r: \Sigma^* \rightarrow S$,
 419 using a weighted version of monadic second order logic. We follow [26, 28].

420 We will enrich MSO-logic by permitting all elements of S as atomic formulas. The
 421 semantics of a sentence from the weighted MSO-logic will be a series in $S \langle\langle \Sigma^* \rangle\rangle$. In
 422 general, this weighted MSO-logic is more expressive than weighted automata. But a
 423 suitable, syntactically defined restriction of the logic, which contains classical MSO-logic,
 424 has the same expressive power as weighted automata.

425 For the convenience of the reader we will recall basic background of classical MSO-
 426 logic, cf. [103, 63]. Let Σ be an alphabet. The syntax of formulas of $\text{MSO}(\Sigma)$, the
 427 monadic second order logic over Σ , is usually given by the grammar

$$\varphi ::= P_a(x) \mid x \leq y \mid x \in X \mid \neg\varphi \mid \varphi \vee \varphi \mid \exists x.\varphi \mid \exists X.\varphi$$

428 where $a \in \Sigma$, x, y are first-order variables, and X is a set variable. We let $\text{Free}(\varphi)$ denote
 429 the set of all free variables of φ .

430 As usual, a word $w = a_1 \dots a_n \in \Sigma^*$ is represented by the relational structure
 431 $(\text{dom}(w), \leq, (R_a)_{a \in \Sigma})$ where $\text{dom}(w) = \{1, \dots, n\}$, \leq is the usual order on $\text{dom}(w)$
 432 and $R_a = \{i \in \text{dom}(w) \mid a_i = a\}$ for $a \in \Sigma$.

433 Let \mathcal{V} be a finite set of first-order or second-order variables. A (\mathcal{V}, w) -assignment
 434 σ is a function mapping first-order variables in \mathcal{V} to elements of $\text{dom}(w)$ and second-

435 order variables in \mathcal{V} to subsets of $\text{dom}(w)$. For a first-order variable x and $i \in \text{dom}(w)$,
 436 $\sigma[x \mapsto i]$ denotes the $(\mathcal{V} \cup \{x\}, w)$ -assignment which maps x to i and coincides with σ
 437 otherwise. Similarly, $\sigma[X \mapsto I]$ is defined for $I \subseteq \text{dom}(w)$. For $\varphi \in \text{MSO}(\Sigma)$ with
 438 $\text{Free}(\varphi) \subseteq \mathcal{V}$, the satisfaction relation $(w, \sigma) \models \varphi$ is defined as usual.

439 Subsequently, we will encode a pair (w, σ) as above as a word over the extended
 440 alphabet $\Sigma_{\mathcal{V}} = \Sigma \times \{0, 1\}^{\mathcal{V}}$ (with $\Sigma_{\emptyset} = \Sigma$). We write a word $(a_1, \sigma_1) \dots (a_n, \sigma_n)$ over
 441 $\Sigma_{\mathcal{V}}$ as (w, σ) where $w = a_1 \dots a_n$ and $\sigma = \sigma_1 \dots \sigma_n$. We call (w, σ) *valid*, if it is empty
 442 or if for each first order variable $x \in \mathcal{V}$, there is a unique position i with $\sigma_i(x) = 1$. In
 443 this case, we identify σ with the (\mathcal{V}, w) -assignment that maps each first order variable x
 444 to the unique position i with $\sigma_i(x) = 1$ and each set variable X to the set of positions i
 445 with $\sigma_i(X) = 1$. Clearly the language

$$N_{\mathcal{V}} = \{(w, \sigma) \in \Sigma_{\mathcal{V}}^* \mid (w, \sigma) \text{ is valid}\}$$

446 is recognizable (here and later we write $\Sigma_{\mathcal{V}}^*$ for $(\Sigma_{\mathcal{V}})^*$). If $\text{Free}(\varphi) \subseteq \mathcal{V}$, we let

$$L_{\mathcal{V}}(\varphi) = \{(w, \sigma) \in N_{\mathcal{V}} \mid (w, \sigma) \models \varphi\}.$$

447 We simply write $\Sigma_{\varphi} = \Sigma_{\text{Free}(\varphi)}$, $N_{\varphi} = N_{\text{Free}(\varphi)}$, and $L(\varphi) = L_{\text{Free}(\varphi)}(\varphi)$.

448 By the Büchi-Elgot-Trakhtenbrot theorem [18, 44, 104], a language $L \subseteq \Sigma^*$ is regular
 449 if and only if it is definable by some MSO-sentence. In the proof of the implication \Rightarrow ,
 450 given an automaton, one constructs directly an MSO-sentence that defines the language
 451 of the automaton. For the other implication, one uses the closure properties of the class of
 452 regular languages (cf. [89]) and shows inductively the stronger fact that $L_{\mathcal{V}}(\varphi)$ is regular
 453 for each formula φ (where $\text{Free}(\varphi) \subseteq \mathcal{V}$). Our goal is to proceed similarly in the present
 454 weighted setting.

455 We start by defining the syntax of our weighted MSO-logic as in [26, 28] but we
 456 include arbitrary negation here.

Definition 7.1. The syntax of formulas of the *weighted MSO-logic* over S and Σ is given by the grammar

$$\begin{aligned} \varphi ::= & s \mid P_a(x) \mid x \leq y \mid x \in X \mid \neg\varphi \mid \varphi \vee \varphi \mid \varphi \wedge \varphi \\ & \mid \exists x. \varphi \mid \forall x. \varphi \mid \exists X. \varphi \mid \forall X. \varphi \end{aligned}$$

457 where $s \in S$ and $a \in \Sigma$. We let $\text{MSO}(S, \Sigma)$ be the collection of all such weighted
 458 MSO-formulas φ .

459 Next we define the \mathcal{V} -semantics of formulas $\varphi \in \text{MSO}(S, \Sigma)$ as a series $\llbracket \varphi \rrbracket_{\mathcal{V}} : \Sigma_{\mathcal{V}}^* \rightarrow$
 460 S .

461 **Definition 7.2.** Let $\varphi \in \text{MSO}(S, \Sigma)$ and \mathcal{V} be a finite set of variables with $\text{Free}(\varphi) \subseteq \mathcal{V}$.
 462 The \mathcal{V} -semantics of φ is the series $\llbracket \varphi \rrbracket_{\mathcal{V}} \in S \langle\langle \Sigma_{\mathcal{V}}^* \rangle\rangle$ defined as follows. Let $(w, \sigma) \in \Sigma_{\mathcal{V}}^*$.
 463 If (w, σ) is not valid, we put $\llbracket \varphi \rrbracket_{\mathcal{V}}(w, \sigma) = 0$. If (w, σ) with $w = a_1 \dots a_n$ is valid, we
 464 define $\llbracket \varphi \rrbracket_{\mathcal{V}}(w, \sigma) \in S$ inductively as in Table 1. Note that the product $\prod_{i \in \text{dom}(w)}$ is
 465 calculated following the natural order of the positions in w . For the product $\prod_{X \subseteq \text{dom}(w)}$,
 466 we use the lexicographic order on the powerset of $\text{dom}(w)$.

467 For brevity, we write $\llbracket \varphi \rrbracket$ for $\llbracket \varphi \rrbracket_{\text{Free}(\varphi)}$. Note that if φ is a sentence, i.e. $\text{Free}(\varphi) = \emptyset$,
 468 then $\llbracket \varphi \rrbracket \in S \langle\langle \Sigma^* \rangle\rangle$.

Table 1. MSO(S, Σ) semantics

φ	$\llbracket \varphi \rrbracket_{\mathcal{V}}(w, \sigma)$	φ	$\llbracket \varphi \rrbracket_{\mathcal{V}}(w, \sigma)$
s	s	$\psi \vee \varrho$	$\llbracket \psi \rrbracket_{\mathcal{V}}(w, \sigma) + \llbracket \varrho \rrbracket_{\mathcal{V}}(w, \sigma)$
$P_a(x)$	$\begin{cases} 1 & \text{if } a_{\sigma(x)} = a \\ 0 & \text{otherwise} \end{cases}$	$\psi \wedge \varrho$	$\llbracket \psi \rrbracket_{\mathcal{V}}(w, \sigma) \cdot \llbracket \varrho \rrbracket_{\mathcal{V}}(w, \sigma)$
$x \leq y$	$\begin{cases} 1 & \text{if } \sigma(x) \leq \sigma(y) \\ 0 & \text{otherwise} \end{cases}$	$\exists x. \psi$	$\sum_{i \in \text{dom}(w)} \llbracket \psi \rrbracket_{\mathcal{V}}(w, \sigma[x \mapsto i])$
$x \in X$	$\begin{cases} 1 & \text{if } \sigma(x) \in \sigma(X) \\ 0 & \text{otherwise} \end{cases}$	$\forall x. \psi$	$\prod_{i \in \text{dom}(w)} \llbracket \psi \rrbracket_{\mathcal{V}}(w, \sigma[x \mapsto i])$
$\neg \psi$	$\begin{cases} 1 & \text{if } \llbracket \psi \rrbracket_{\mathcal{V}}(w, \sigma) = 0 \\ 0 & \text{otherwise} \end{cases}$	$\exists X. \psi$	$\sum_{I \subseteq \text{dom}(w)} \llbracket \psi \rrbracket_{\mathcal{V}}(w, \sigma[X \mapsto I])$
		$\forall X. \psi$	$\prod_{I \subseteq \text{dom}(w)} \llbracket \psi \rrbracket_{\mathcal{V}}(w, \sigma[X \mapsto I])$

469 Similar definitions of the semantics occur in multivalued logic, cf. [56, 55]. In par-
470 ticular, a similar definition of the semantics of negated formulas is also used for Gödel
471 logics. We give several examples of possible interpretations of weighted formulas:

- 472 (1) Let S be an arbitrary bounded distributive lattice $(S, \vee, \wedge, 0, 1)$ with smallest el-
473 ement 0 and largest element 1. In this case, sums correspond to suprema, and
474 products to infima. For instance, we have $\llbracket \varphi \vee \psi \rrbracket = \llbracket \varphi \rrbracket \vee \llbracket \psi \rrbracket$ for sentences φ, ψ .
475 Thus our logic may be interpreted as a multi-valued logic. In particular, if $S = \mathbb{B}$,
476 the 2-valued Boolean algebra, our semantics coincides with the usual semantics of
477 unweighted MSO-formulas, identifying characteristic series with their supports.
- 478 (2) The formula $\exists x. P_a(x)$ counts how often a occurs in the word. Here, *how often*
479 depends on the semiring: e.g., natural numbers, Boolean semiring, integers modulo
480 2, ...
- 481 (3) Let $S = (\mathbb{N}, +, \cdot, 0, 1)$ and assume φ does not contain constants $s \in \mathbb{N}$ and negation
482 is applied only to atomic formulas $P_a(x)$, $x \leq y$, or $x \in X$. Then $\llbracket \varphi \rrbracket(w, \sigma)$ gives
483 the number of “arguments” a machine could present to show that $(w, \sigma) \models \varphi$.
484 Indeed, the machine could proceed inductively over the structure of φ . For the
485 atomic subformulas and their negations, the number should be 1 or 0 depending on
486 whether the formula holds or not. Now, if $\llbracket \varphi \rrbracket(w, \sigma) = m$ and $\llbracket \psi \rrbracket(w, \sigma) = n$, the
487 number for $\llbracket \varphi \vee \psi \rrbracket(w, \sigma)$ should be $m + n$ (since any reason for φ or ψ suffices),
488 and for $\llbracket \varphi \wedge \psi \rrbracket(w, \sigma)$ it should be $m \cdot n$ (since the machine could pair the reasons
489 for φ resp. ψ arbitrarily). Similarly, the machine could deal with existential and
490 universal quantifications.
- 491 (4) The semiring $S = (\mathbb{N} \cup \{-\infty\}, \max, +, -\infty, 0)$ is often used for settings with

costs or rewards as weights. For the semantics of formulas, a choice like in a disjunction or existential quantification is resolved by maximum. Conjunction is resolved by a sum of the costs, and $\forall x.\varphi$ can be interpreted by the sum of the costs of all positions x .

- (5) Consider the reliability semiring $S = ([0, 1], \max, \cdot, 0, 1)$ and $\Sigma = \{a_1, \dots, a_n\}$. Assume that every letter a_i has a reliability $p_i \in [0, 1]$. Let $\varphi = \forall x. \bigvee_{i=1}^n (P_{a_i}(x) \wedge p_i)$. Then $(\llbracket \varphi \rrbracket, w)$ can be considered as the reliability of the word $w \in \Sigma^*$.
- (6) PCTL is a well-studied probabilistic extension of computational tree logic CTL that is applied in verification. As shown recently in [11], PCTL can be considered as a fragment of weighted MSO logic.

The following basic consistency property of the semantics definition can be shown by induction over the structure of the formula using also Lemma 6.2.

Proposition 7.1. *Let $\varphi \in \text{MSO}(S, \Sigma)$ and \mathcal{V} be a finite set of variables with $\text{Free}(\varphi) \subseteq \mathcal{V}$. Then*

$$\llbracket \varphi \rrbracket_{\mathcal{V}}(w, \sigma) = \llbracket \varphi \rrbracket(w, \sigma|_{\text{Free}(\varphi)})$$

for each valid $(w, \sigma) \in \Sigma_{\mathcal{V}}^*$. Also, the series $\llbracket \varphi \rrbracket$ is recognizable iff $\llbracket \varphi \rrbracket_{\mathcal{V}}$ is recognizable.

Our goal is to compare the expressive power of suitable fragments of $\text{MSO}(S, \Sigma)$ with weighted automata. Crucial for this will be closure properties of recognizable series under the constructs of our weighted logic. In general, neither negation, conjunction, nor universal quantification preserves recognizability.

Example 7.1. Let $S = (\mathbb{Z}, +, \cdot, 0, 1)$ be the ring of integers and consider the sentence

$$\varphi = \exists x. P_a(x) \vee ((-1) \wedge \exists x. P_b(x)) .$$

Then $(\llbracket \varphi \rrbracket, w)$ is the difference of the numbers of occurrences of a and b in w and therefore $\llbracket \varphi \rrbracket$ is recognizable. Note that $(\llbracket \neg \varphi \rrbracket, w) = 1$ if and only if these numbers are equal, so $\llbracket \neg \varphi \rrbracket = 1_L$ for a non-regular language L . Therefore $\llbracket \neg \varphi \rrbracket$ is not recognizable (see Theorem 9.2 below).

Example 7.2. Let $\Sigma = \{a, b\}$, $S = (\mathcal{P}(\Sigma^*), \cup, \cdot, \emptyset, \{\varepsilon\})$, and $\varphi = \forall x. ((P_a(x) \wedge \{a\}) \vee (P_b(x) \wedge \{b\}))$. With r the series from Example 4.2, $\llbracket \varphi \rrbracket = r$ which is recognizable. On the other hand, $\llbracket \varphi \wedge \varphi \rrbracket = r \odot r$ is not recognizable.

Example 7.3. Let $S = (\mathbb{N}, +, \cdot, 0, 1)$. Then $(\llbracket \exists x.1 \rrbracket, w) = |w|$ and $(\llbracket \forall y. \exists x.1 \rrbracket, w) = |w|^{|w|}$ for each $w \in \Sigma^*$. So $\llbracket \exists x.1 \rrbracket$ is recognizable, but $\llbracket \forall y. \exists x.1 \rrbracket$ is not recognizable. Indeed, let $\mathcal{A} = (Q, \text{in}, \text{wt}, \text{out})$ be any weighted automaton over S . Let $M = \max\{\text{in}(p), \text{out}(p), \text{wt}(p, a, q) \mid p, q \in Q, a \in \Sigma\}$. Then $(\|\mathcal{A}\|, w) \leq |Q|^{|w|+1} \cdot M^{|w|+2}$ for each $w \in \Sigma^*$, showing $\|\mathcal{A}\| \neq \llbracket \forall y. \exists x.1 \rrbracket$. Similarly, $(\llbracket \forall X.2 \rrbracket, w) = 2^{2^{|w|}}$ for each $w \in \Sigma^*$, and $\llbracket \forall X.2 \rrbracket$ is not recognizable due to its growth.

These examples lead us to consider fragments of $\text{MSO}(S, \Sigma)$. As in [11], we define the syntax of *Boolean formulas* of $\text{MSO}(S, \Sigma)$ by

$$\varphi ::= P_a(x) \mid x \leq y \mid x \in X \mid \neg \varphi \mid \varphi \wedge \varphi \mid \forall x. \varphi \mid \forall X. \varphi$$

527 where $a \in \Sigma$. Note that in comparison to the syntax of $\text{MSO}(\Sigma)$, we only replaced
 528 disjunction by conjunction and existential by universal quantification. Then, we have
 529 $\llbracket \varphi \rrbracket_{\mathcal{V}}(w, \sigma) \in \{0, 1\}$ for each Boolean formula φ and $(w, \sigma) \in \Sigma_{\mathcal{V}}^*$ if $\text{Free}(\varphi) \subseteq \mathcal{V}$.
 530 Expressing disjunction and existential quantification by negation and conjunction resp.
 531 universal quantification, for each $\varphi \in \text{MSO}(\Sigma)$ there is a Boolean formula ψ such
 532 that $\llbracket \psi \rrbracket = \mathbb{1}_{L(\varphi)}$, and conversely. Hence Boolean formulas capture the full power of
 533 $\text{MSO}(\Sigma)$.

534 Now the class of *almost unambiguous formulas* of $\text{MSO}(S, \Sigma)$ is the smallest class
 535 containing all constants $s \in S$ and all Boolean formulas which is closed under disjunction,
 536 conjunction, and negation.

537 It is useful to introduce the closely related notion of recognizable step functions: these
 538 are precisely the finite sums of series $s \mathbb{1}_L$ where $s \in S$ and $L \subseteq \Sigma^*$ is regular. By
 539 induction it follows that $\llbracket \varphi \rrbracket$ is a recognizable step function for any almost unambiguous
 540 formula $\varphi \in \text{MSO}(S, \Sigma)$. Conversely, if $r: \Sigma^* \rightarrow S$ is a recognizable step function,
 541 by the Büchi-Elgot-Trakhtenbrot theorem, we obtain an almost unambiguous sentence φ
 542 with $r = \llbracket \varphi \rrbracket$.

543 For $\varphi \in \text{MSO}(S, \Sigma)$, let $\text{const}(\varphi)$ be the set of all elements of S occurring in φ . We
 544 recall that two subsets $A, B \subseteq S$ commute, if $a \cdot b = b \cdot a$ for all $a \in A, b \in B$.

545 **Definition 7.3.** A formula $\varphi \in \text{MSO}(S, \Sigma)$ is *syntactically restricted*, if it satisfies the
 546 following conditions:

- 547 (1) for all subformulas $\psi \wedge \psi'$ of φ , the sets $\text{const}(\psi)$ and $\text{const}(\psi')$ commute or ψ or
 548 ψ' is almost unambiguous,
- 549 (2) whenever φ contains a subformula $\forall x.\psi$ or $\neg\psi$, then ψ is almost unambiguous,
- 550 (3) whenever φ contains a subformula $\forall X.\psi$, then ψ is Boolean.

551 We let $\text{srMSO}(S, \Sigma)$ denote the collection of all syntactically restricted formulas from
 552 $\text{MSO}(S, \Sigma)$.

553 Also, a formula $\varphi \in \text{MSO}(S, \Sigma)$ is called *existential*, if it has the form $\exists X_1. \dots \exists X_n.\psi$
 554 where ψ contains only first order quantifiers.

555 **Theorem 7.2** (Droste and Gastin [28]). *Let S be any semiring, Σ an alphabet, and*
 556 *$r: \Sigma^* \rightarrow S$ a series. The following are equivalent:*

- 557 (1) r is recognizable.
- 558 (2) $r = \llbracket \varphi \rrbracket$ for some syntactically restricted and existential sentence φ of $\text{MSO}(S, \Sigma)$.
- 559 (3) $r = \llbracket \varphi \rrbracket$ for some syntactically restricted sentence φ of $\text{MSO}(S, \Sigma)$.

560 *Proof (sketch).* (1) \rightarrow (2): We have $r = \|\mathcal{A}\|$ for some weighted automaton $\mathcal{A} =$
 561 $(Q, \text{in}, \text{wt}, \text{out})$. Then we can use the structure of \mathcal{A} to define a sentence φ as required
 562 such that $\|\mathcal{A}\| = \llbracket \varphi \rrbracket$.

563 (2) \rightarrow (3): Trivial.

564 (3) \rightarrow (1): By structural induction we show for each formula $\varphi \in \text{srMSO}(S, \Sigma)$ that
 565 $\llbracket \varphi \rrbracket = \|\mathcal{A}\|$ for some weighted automaton \mathcal{A} over Σ_{φ} and S_{φ} where $S_{\varphi} = \langle \text{const}(\varphi) \rangle$ is
 566 the subsemiring of S generated by the set $\text{const}(\varphi)$. For Boolean formulas, this is easy.
 567 For disjunction and existential quantification, we use closure properties of the class of rec-
 568 ognizable series. For conjunction, the assumption of Definition 7.3(1) and the particular

569 induction hypothesis allow us to employ the construction from Lemma 4.3. If $\varphi = \forall x.\psi$
 570 where ψ is almost unambiguous, we can use the description of $\llbracket\psi\rrbracket$ as a recognizable step
 571 function to construct a weighted automaton with the behavior $\llbracket\varphi\rrbracket$. \square

572 Note that the case $\varphi = \forall x.\psi$ requires a crucial new construction of weighted au-
 573 tomata which does not occur in the unweighted setting since, in general, we cannot reduce
 574 (weighted) universal quantification to existential quantification.

575 A semiring S is *locally finite* if each finitely generated subsemiring is finite. Examples
 576 include any bounded distributive lattice, thus in particular all Boolean algebras and the
 577 semiring $([0, 1], \max, \min, 0, 1)$. Another example is given by $([0, 1], \min, \oplus, 1, 0)$ with
 578 $x \oplus y = \min(1, x + y)$.

579 We call a formula $\varphi \in \text{MSO}(S, \Sigma)$ *weakly existential*, if whenever φ contains a sub-
 580 formula $\forall X.\psi$, then ψ is Boolean.

581 **Theorem 7.3** (Droste and Gastin [26, 28]). *Let S be locally finite and $r: \Sigma^* \rightarrow S$ a*
 582 *series. The following are equivalent:*

- 583 (1) r is recognizable.
- 584 (2) $r = \llbracket\varphi\rrbracket$ for some weakly existential sentence φ of $\text{MSO}(S, \Sigma)$.

585 *If moreover, S is commutative, these conditions are equivalent to the following one:*

- 586 (3) $r = \llbracket\varphi\rrbracket$ for some sentence φ of $\text{MSO}(S, \Sigma)$.

587 The proof uses the fact that if S is locally finite, then each recognizable series $r \in$
 588 $S \langle\langle \Sigma^* \rangle\rangle$ can be shown to be a recognizable step function.

589 Observe that Theorem 7.3 applies to all bounded distributive lattices and to all fi-
 590 nite semirings; in particular, with $S = \mathbb{B}$ it contains our starting point, the Büchi-Elgot-
 591 Trakhtenbrot theorem, as a very special case.

592 Given a syntactically restricted formula φ of $\text{MSO}(S, \Sigma)$, by the proofs of Theo-
 593 rem 7.2 we can *construct* a weighted automaton \mathcal{A} such that $\|\mathcal{A}\| = \llbracket\varphi\rrbracket$ (provided the
 594 operations of the semiring S are given in an effective way, i.e., S is *computable*). Since
 595 the equivalence problem for weighted automata over computable fields is decidable by
 596 Corollary 8.4 below, we obtain:

597 **Corollary 7.4.** *Let S be a computable field. Then the equivalence problem whether $\llbracket\varphi\rrbracket =$
 598 $\llbracket\psi\rrbracket$ for syntactically restricted sentences φ, ψ of $\text{MSO}(S, \Sigma)$ is decidable.*

599 In contrast, the equivalence problem for weighted automata is undecidable for the
 600 semirings $(\mathbb{N} \cup \{\infty\}, \min, +, \infty, 0)$ and $(\mathbb{N} \cup \{-\infty\}, \max, +, -\infty, 0)$ (Theorem 8.6).
 601 Since the proof of Theorem 7.2 is effective, for these semirings also the equivalence prob-
 602 lem for syntactically restricted sentences of $\text{MSO}(S, \Sigma)$ is undecidable.

603 8 Decidability of “ $r_1 = r_2$?”

604 In this section, we investigate when it is decidable whether two given recognizable series
 605 are equal. For this, we assume S to be a computable semiring, i.e., the underlying set of

606 S forms a decidable set and addition and multiplication can be performed effectively. In
 607 the first part, we fix one of the two series to be the constant series with value 0.

608 Let $P = (\lambda, \mu, \gamma)$ be a linear presentation of dimension Q of the series $r \in S \langle\langle \Sigma^* \rangle\rangle$.
 609 For $n \in \mathbb{N}$, let $U_n^P = \langle \{\lambda\mu(w) \mid w \in \Sigma^*, |w| \leq n\} \rangle$ and $U^P = \langle \{\lambda\mu(w) \mid w \in \Sigma^*\} \rangle$,
 610 so U_n^P and U^P are subsemimodules of $S^{\{1\} \times Q}$. Then $U_0^P \subseteq U_1^P \subseteq U_2^P \cdots \subseteq U^P =$
 611 $\bigcup_{n \in \mathbb{N}} U_n^P$, and each of the semimodules U_n^P is finitely generated.

612 **Lemma 8.1.** *The set of all pairs (P, n) such that P is a linear presentation and $U_n^P =$
 613 U_{n+1}^P is recursively enumerable (here, the homomorphism μ from the presentation P is
 614 given by its restriction to Σ).*

615 *Proof.* Note that $U_n^P = U_{n+1}^P$ if and only if every vector $\lambda\mu(w)$ with $|w| = n+1$ belongs
 616 to U_n^P if and only if for each $w \in \Sigma^*$ of length $n+1$,

$$\lambda\mu(w) = \sum_{\substack{v \in \Sigma^* \\ |v| \leq n}} s_v \lambda\mu(v)$$

617 for some $s_v \in S$. A non-deterministic Turing-machine can check the solvability of this
 618 equation by just guessing the coefficients s_v and checking the required equality. \square

619 **Corollary 8.2.** *Assume that, for any linear presentation P , U^P is a finitely generated
 620 semimodule. Then, from a linear presentation P of dimension Q , one can compute $n \in \mathbb{N}$
 621 with $U_n^P = U^P$ and finitely many vectors $x_1, \dots, x_m \in S^{\{1\} \times Q}$ with $\langle \{x_1, \dots, x_m\} \rangle =$
 622 U^P .*

623 *Proof.* Since U^P is finitely generated, there is some $n \in \mathbb{N}$ such that $U^P = U_n^P$ and
 624 therefore $U_n^P = U_{n+1}^P$. Hence, for some $n \in \mathbb{N}$, the pair (P, n) appears in the list from
 625 the previous lemma. Then $U^P = U_n^P = \langle \{\lambda\mu(v) \mid v \in \Sigma^*, |v| \leq n\} \rangle$. \square

626 Clearly, every finite semiring satisfies the condition of the corollary above, but not all
 627 semirings do.

628 **Example 8.1.** Let S be the semiring $(\mathbb{N}, +, \cdot, 0, 1)$ and consider a presentation P with

$$\lambda = (1 \quad 0) \text{ and } \mu(w) = \begin{pmatrix} 1 & |w| \\ 0 & 1 \end{pmatrix}.$$

629 Then U_n^P is generated by all the vectors $(1 \quad m)$ for $0 \leq m \leq n$ so that $(1 \quad n+1) \in$
 630 $U_{n+1}^P \setminus U_n^P$; hence U^P is not finitely generated.

631 As a positive example, we have the following.

632 **Example 8.2.** If S is a skew-field (i.e., a semiring such that $(S, +, 0)$ and $(S \setminus \{0\}, \cdot, 1)$ are
 633 groups), then we can consider U_n^P as a vector space. Then the dimensions of the spaces
 634 $U_i^P \subseteq S^{\{1\} \times Q}$ are bounded by $|Q|$ and $\dim(U_i^P) \leq \dim(U_{i+1}^P)$ implying $U_{|Q|}^P = U^P$.
 635 Hence, for any skew-field S , in the corollary above we can set $n = |Q|$.

636 We only note that all Noetherian rings (that include all polynomial rings in several
 637 indeterminates over fields, by Hilbert's basis theorem) satisfy the assumption of Corol-
 638 lary 8.2.

639 **Theorem 8.3** (Schützenberger [97]). *Let S be a computable semiring such that, for any*
 640 *linear presentation P , U^P is a finitely generated semimodule. Then, for a linear presen-*
 641 *tation P , one can decide whether $\|P\| = 0$.*

642 *Proof.* We have to decide whether $y\gamma = 0$ for all vectors $y \in U^P$. By Corollary 8.2,
 643 we can compute a finite list x_1, \dots, x_m of vectors that generate U^P . So one only has to
 644 check whether $x_i\gamma = 0$ for $1 \leq i \leq m$. \square

645 **Example 8.3.** If S is a skew-field, a basis of U^P can be obtained in time $|\Sigma| \cdot |Q|^3$
 646 (where the operations in the skew-field S are assumed to require constant time). The
 647 algorithm actually computes a prefix-closed set of words $u_1, \dots, u_{\dim(U^P)}$ such that the
 648 vectors $\lambda\mu(u_i)$ form a basis of U^P (cf. [95]). This basis consists of at most $|Q|$ vectors
 649 (cf. Example 8.2), each of size $|Q|$. Hence $\|P\| = 0$ can be decided in time $|\Sigma||Q|^3$.

650 If S is a finite semiring, then $U^P = U_{|S|^{|Q|}}^P$. Hence the vectors $\lambda\mu(w)$ with $|w| \leq |S|^{|Q|}$
 651 form a generating set. To check whether $\lambda\mu(w)\gamma = 0$ for all such words w , time $|\Sigma|^{|S|^{|Q|}}$
 652 suffices. Within the same time bound, one can decide whether $\|P\| = 0$ holds.

653 **Corollary 8.4.** *Let S be a computable ring such that, for any linear presentation P ,*
 654 *U^P is a finitely generated semimodule. Then one can decide for two linear presentations*
 655 *P_1 and P_2 whether $\|P_1\| = \|P_2\|$.*

656 *Proof.* Since S is a ring, there is an element $-1 \in S$ with $x + (-1) \cdot x = 0$ for any $x \in S$.
 657 Replacing the initial vector λ from P_2 by $-\lambda$, one obtains a linear presentation for the
 658 series $(-1)\|P_2\|$. This yields a linear presentation P with $\|P\| = \|P_1\| + (-1)\|P_2\|$.
 659 Now $\|P_1\| = \|P_2\|$ if and only if $\|P\| = 0$ which is decidable by Theorem 8.3. \square

660 **Remark 8.5.** Let n_1 and n_2 be the dimensions of P_1 and P_2 , respectively. Then the linear
 661 presentation P from the proof above can be computed in time $n_1 \cdot n_2$ and has dimension
 662 $n_1 + n_2$. If S is a skew-field, then we can therefore decide whether $\|P_1\| = \|P_2\|$ in time
 663 $|\Sigma|(n_1 + n_2)^3$.

664 Let S be a finite semiring. Then from $s \in S$ and weighted automata for $\|P_1\|$ and
 665 for $\|P_2\|$, one can construct automata accepting $\{w \in \Sigma^* \mid (\|P_i\|, w) = s\}$ for $i = 1, 2$.
 666 This allows us to decide $\|P_1\| = \|P_2\|$ in doubly exponential time. If S is a finite ring,
 667 this result follows also from the proof of the corollary above and Example 8.3.

668 However, the following result is in sharp contrast to Corollary 8.4. For two series r and s
 669 with values in $\mathbb{N} \cup \{-\infty\}$, we write $r \leq s$ if $(r, w) \leq (s, w)$ for all words w .

670 **Theorem 8.6** (cf. Krob [69]). *There are series $r_1, r_2: \Sigma^* \rightarrow \mathbb{N} \cup \{-\infty\}$ such that the sets*
 671 *of weighted automata \mathcal{A} over the semiring $(\mathbb{N} \cup \{-\infty\}, \max, +, -\infty, 0)$ with $\|\mathcal{A}\| = r_1$*
 672 *(with $\|\mathcal{A}\| \leq r_1$, with $r_2 \leq \|\mathcal{A}\|$ resp.) are undecidable.*

673 We remark that analogous statements hold for the semiring $(\mathbb{N} \cup \{\infty\}, \min, +, \infty, 0)$.
 674 As a consequence, the equivalence problem of weighted automata over these two semi-
 675 rings is undecidable (this undecidability was shown by Krob). The original proof by
 676 Krob is rather involved reducing Hilbert's 10th problem to the equivalence problem. A

simplified proof was found by Almagor, Boker and Kupferman in [3] starting from the undecidability of the question whether a 2-counter machine \mathcal{A} will eventually halt when started with empty counters. The proof below is an extension of the arguments from [3].

A *2-counter machine* is a deterministic finite automaton over the alphabet Σ with $\Sigma = \{a_+, a_-, a_?, b_+, b_-, b_?\}$. The idea is that we have two counters, a and b . The counter a is incremented when executing a_+ and decremented when executing a_- ; this action a_- can only be executed if the value of the counter a is positive. Similarly, the action $a_?$ can only be executed when the counter a is zero. Formally, the 2-counter machine M *halts from the empty configuration* if it accepts some word $w \in \Sigma^*$ such that

- (1) $|u|_{a_-} \leq |u|_{a_+}$ and $|u|_{b_-} \leq |u|_{b_+}$ for any prefix u of w ,
- (2) $|u|_{a_-} = |u|_{a_+}$ for any prefix $ua_?$ of w , and
- (3) $|u|_{b_-} = |u|_{b_+}$ for any prefix $ub_?$ of w .

Words satisfying the conditions (1)-(3) will be called *potential computation*. By Minsky's theorem [83], the set of 2-counter machines that halt from the empty configuration is undecidable.

Proof of Theorem 8.6. The maximal error of a word $w \in \Sigma^*$ is the maximal value $n \in \mathbb{N}$ such that there exists

- a prefix u of w with $n = |u|_{a_-} - |u|_{a_+}$ or $n = |u|_{b_-} - |u|_{b_+}$ or
- a prefix $ua_?$ of w with $n = |u|_{a_+} - |u|_{a_-}$ or
- a prefix $ub_?$ of w with $n = |u|_{b_+} - |u|_{b_-}$.

Let r'_1 be the series that assigns the maximal error to any word $w \in \Sigma^*$. Then the following properties of r'_1 are essential:

- (1) A word $w \in \Sigma^*$ is a potential computation if and only if $(r'_1, w) = 0$.
- (2) The series r'_1 is recognizable over the semiring $(\mathbb{Z} \cup \{-\infty\}, \max, +, -\infty, 0)$.

Now let M be a 2-counter machine. We define, from M and r'_1 , a new series r'_M setting

$$(r'_M, w) = \begin{cases} \max((r'_1, w), 1) & \text{if } w \in L(M) \\ (r'_1, w) & \text{otherwise.} \end{cases}$$

Note that

$$r'_M = (r'_1 + 1 \cdot \mathbb{1}_{\Sigma^*}) \odot \mathbb{1}_{L(M)} + r'_1 \odot \mathbb{1}_{\Sigma^* \setminus L(M)}$$

where $+$ and \cdot , \odot in this expression for series refer to the addition \max and multiplication $+$ of values in the semiring $(\mathbb{N} \cup \{-\infty\}, \max, +, -\infty, 0)$. Since the language $L(M)$ is regular, this series r'_M is recognizable and a weighted automaton \mathcal{A} with $\|\mathcal{A}\| = r'_M$ can be computed from M (cf. Section 4.1). For a word $w \in \Sigma^*$, we have $(r'_1, w) = (r'_M, w)$ if and only if $w \notin L(M)$ or $(r'_1, w) > 0$. Recall that $(r'_1, w) > 0$ is equivalent to saying “ w is no potential computation”. Consequently, $r'_1 = r'_M$ if and only if M does not accept any potential computation if and only if the 2-counter machine M does not halt from the empty configuration. Since this is undecidable, the equality of r'_1 and r'_M is undecidable. Since $(r'_1, w) \leq (r'_M, w)$ for any word w , it is also undecidable whether $r'_M \leq r'_1$.

Next let $(r'_2, w) = 1$ for any word w . Then $r'_2 = 1 \cdot \mathbb{1}_{\Sigma^*}$ is recognizable over the semiring $(\mathbb{Z} \cup \{-\infty\}, \max, +, -\infty, 0)$. Now let M be a 2-counter machine. We define,

715 from M and r'_2 , a new series s'_M setting

$$(s'_M, w) = \begin{cases} (r'_1, w) & \text{if } w \in L(M) \\ (r'_2, w) & \text{otherwise.} \end{cases}$$

716 Note that $s'_M = r'_1 \odot \mathbb{1}_{L(M)} + r'_2 \odot \mathbb{1}_{\Sigma^* \setminus L(M)}$. Hence a weighted automaton with behavior
717 s'_M can be computed from M . Then $(r'_2, w) \leq (s'_M, w)$ if and only if $w \notin L(M)$ or
718 $1 \leq r'_1(w)$. Hence $r'_2 \leq s'_M$ if and only if the 2-counter machine M does not halt from
719 the empty configuration. Consequently, it is undecidable whether $r'_2 \leq s'_M$.

720 Recall that the series r'_1 , r'_2 , r'_M , and s'_M are recognizable over the semiring $(\mathbb{Z} \cup$
721 $\{-\infty\}, \max, +, -\infty, 0)$. Set $(r_1, w) = (r'_1, w) + |w|$ and define r_2, r_M , and s_M similarly.
722 One can check that the weighted automata for the dashed series use transition weights $-1,$
723 $0, 1,$ and $-\infty$, only. Hence, adding 1 to every transition in these weighted automata trans-
724 forms them into weighted automata over $(\mathbb{N} \cup \{-\infty\}, \max, +, -\infty, 0)$ whose behavior is
725 r_1 etc. This implies that the above undecidabilities also hold for weighted automata with
726 non-negative integer weights. \square

727 9 Characteristic series and supports

728 The goal of this section is to investigate the regularity of the support of recognizable (char-
729 acteristic) series.

730 **Lemma 9.1.** *Let S be any semiring and $L \subseteq \Sigma^*$ a regular language. Then the charac-
731 teristic series $\mathbb{1}_L$ of L is recognizable.*

732 *Proof.* Take a deterministic finite automaton accepting L and weight the initial state, the
733 transitions, and the final states with 1 and all the non-initial states, the non-transitions,
734 and the non-final states with 0. Since every word has at most one successful path in the
735 deterministic finite automaton, the behavior of the weighted automaton constructed this
736 way is the characteristic series of L over S . \square

737 For all commutative semirings, also the converse of this lemma holds. This was first
738 shown for commutative rings where one actually has the following more general result:

739 **Theorem 9.2** (Schützenberger [97] and Sontag [101]). *Let S be a commutative ring, and
740 let $r \in S^{\text{rec}} \langle \langle \Sigma^* \rangle \rangle$ have finite image. Then $r^{-1}(s)$ is recognizable for any $s \in S$.*

741 It remains to consider commutative semirings that are not rings. Let S be a semiring.
742 A subset $I \subseteq S$ is called an *ideal*, if for all $a, b \in I$ and $s \in S$ we have $a + b, a \cdot s, s \cdot a \in$
743 I . Dually, a subset $F \subseteq S$ is called a *filter*, if for all $a, b \in F$ and $s \in S$ we have
744 $a \cdot b, s + a \in F$. Given a subset $A \subseteq S$, the smallest filter containing A is the set

$$F(A) = \{a_1 \cdots a_n + s \mid a_i \in A \text{ for } 1 \leq i \leq n, \text{ and } s \in S\}.$$

745 **Lemma 9.3** (Wang [108]). *Let S be a commutative semiring which is not a ring. Then*
 746 *there is a semiring morphism onto \mathbb{B} .*

747 *Proof.* Consider the collection \mathcal{C} of all filters F of S with $0 \notin F$. Since S is not a ring,
 748 we have $F(\{1\}) \in \mathcal{C}$. By Zorn's lemma, (\mathcal{C}, \subseteq) contains a maximal element M with
 749 $F(\{1\}) \subseteq M$. We define $h: S \rightarrow \mathbb{B}$ by letting $h(s) = 1$ if $s \in M$, and $h(s) = 0$
 750 otherwise. Clearly $h(0) = 0$ and $h(1) = 1$.

751 Now let $a, b \in S$. We claim that $h(a+b) = h(a) + h(b)$. By contradiction, we assume
 752 that $a, b \notin M$ but $a + b \in M$. Then $0 \in F(M \cup \{a\})$ and $0 \in F(M \cup \{b\})$. Since S is
 753 commutative, we have $0 = m \cdot a^n + s = m' \cdot b^{n'} + s'$ for some $m, m' \in M, n, n' \in \mathbb{N}$
 754 and $s, s' \in S$. This implies that $0 = m \cdot m' \cdot (a + b)^{n+n'} + s''$ for some $s'' \in S$. But now
 755 $a + b \in M$ implies $0 \in M$, a contradiction.

756 Finally, we claim that $h(a \cdot b) = h(a) \cdot h(b)$. If $a, b \in M$, then also $ab \in M$, showing
 757 our claim. Now assume $a \notin M$ but $ab \in M$. As above, we have $0 = m \cdot a^n + s$ for some
 758 $m \in M, n \in \mathbb{N}$, and $s \in S$. But then $0 = m \cdot a^n \cdot b^n + s \cdot b^n = m \cdot (ab)^n + sb^n \in M$ by
 759 $ab \in M$, a contradiction. \square

760 **Theorem 9.4** (Wang [108]). *Let S be a commutative semiring and $L \subseteq \Sigma^*$. Then L is*
 761 *regular iff $\mathbb{1}_L$ is recognizable.*

762 *Proof.* One implication is part of Lemma 9.1. Now assume that $\mathbb{1}_L$ is recognizable. If S
 763 is a ring, the result is immediate by Theorem 9.2. If S is not a ring, by Lemma 9.3 there
 764 is a semiring morphism h from S to \mathbb{B} . Let \mathcal{A} be a weighted automaton with $\|\mathcal{A}\| = \mathbb{1}_L$.
 765 In this automaton, replace all weights s by $h(s)$. The behavior of the resulting weighted
 766 automaton over the Boolean semiring \mathbb{B} is $\mathbb{1}_L \in \mathbb{B} \langle\langle \Sigma^* \rangle\rangle$. Hence L is regular. \square

767 Now we turn to supports of arbitrary recognizable series. Already for $S = \mathbb{Z}$, the ring
 768 of integers, such a language is not necessarily regular (cf. Example 7.1). But we have the
 769 following positive result.

770 **Proposition 9.5.** *Let S be a zero-sum- and zero-divisor-free monoid (i.e., $x + y = 0$ or*
 771 *$x \cdot y = 0$ implies $0 \in \{x, y\}$). Then the support of every recognizable series over S is*
 772 *regular.*

773 *Proof.* Let \mathcal{A} be a weighted automaton. Deleting all transitions of weight 0 and delet-
 774 ing all remaining weights, one gets a nondeterministic finite automaton that accepts the
 775 support of $\|\mathcal{A}\|$. \square

776 Examples of zero-sum- and zero-divisor-free semirings include $(\mathbb{N}, +, \cdot, 0, 1)$, $(\mathbb{N} \cup$
 777 $\{-\infty\}, \max, +, -\infty, 0)$, and $(\mathcal{P}(\Gamma^*), \cup, \cdot, \emptyset, \{\varepsilon\})$. In [65], it is shown that, in the above
 778 proposition, one can replace the condition “zero-divisor-free” by “commutative” cover-
 779 ing, e.g., the semiring $\mathbb{N} \times \mathbb{N}$ with componentwise addition and multiplication. One can
 780 even characterize those semirings for which the support of any recognizable series is reg-
 781 ular:

782 **Theorem 9.6** (Kirsten [66]). *For a semiring S , the following are equivalent:*

783 (1) *The support of every recognizable series over S is regular.*

784 (2) For any finitely generated semiring $S' \subseteq S$, there exists a finite semiring S_{fin} and
 785 a homomorphism $\eta: S' \rightarrow S_{\text{fin}}$ with $\eta^{-1}(0) = \{0\}$.

786 It is not hard to see that positive (i.e., zero-sum- and zero-divisor-free) semirings
 787 like $(\mathbb{N}, +, \cdot, 0, 1)$ or $(\mathcal{P}(\Gamma^*), \cup, \cdot, \emptyset, \{\varepsilon\})$ and locally finite semirings (like $(\mathbb{Z}/4\mathbb{Z})^\omega$ or
 788 bounded distributive lattices) satisfy condition (2) and therefore (1).

789 Given a semiring S , by Lemma 9.1, the class $\text{SR}(S)$ of all supports of recognizable
 790 series over S contains all regular languages. Closure properties of this class $\text{SR}(S)$ have
 791 been studied extensively, see e.g. [10]. A further result is the following.

792 **Theorem 9.7** (Restivo and Reutenauer [92]). *Let S be a field and $L \subseteq \Sigma^*$ a language
 793 such that L and its complement $\Sigma^* \setminus L$ both belong to $\text{SR}(S)$. Then L is regular.*

794 In contrast, we note the following result which was also observed by Kirsten:

795 **Theorem 9.8.** *There exists a semiring S such that $L \in \text{SR}(S)$ (and even $\mathbb{1}_L$ is recogniz-
 796 able) for any language L over any finite alphabet Σ .*

797 *Proof.* Let $\Gamma = \{a, b\}$ and $\Delta = \Gamma \cup \{c\}$. Furthermore, let $\bar{\Delta} = \{\bar{\gamma} \mid \gamma \in \Delta\}$ be a disjoint
 798 copy of Δ . The elements of the semiring S are the subsets of $\bar{\Delta}^* \Delta^*$ and the addition of S
 799 is the union of these sets (with neutral element \emptyset). To define multiplication, let $L, M \in S$.
 800 Then $L \odot M$ consists of all words $uv \in \bar{\Delta}^* \Delta^*$ such that there exists a word $w \in \Delta^*$ with
 801 $uw \in L$ and $\bar{w}^{\text{rev}}v \in M$. Alternatively, multiplication of L and M can be described as
 802 follows: concatenate any word from L with any word from M , delete any factors of the
 803 form $d\bar{d}$ for $d \in \Delta$, and place the result into $L \odot M$ if and only if it belongs to $\bar{\Delta}^* \Delta^*$.
 804 For instance, we have

$$\begin{aligned} \{\bar{a}bc\} \cdot \{\bar{c}a, \bar{c}ba, \bar{a}\} &= \{\bar{a}bc\bar{c}a, \bar{a}bc\bar{c}ba, \bar{a}bc\bar{a}\} \text{ and} \\ \{\bar{a}bc\} \odot \{\bar{c}a, \bar{c}ba, \bar{a}\} &= \{\bar{a}ba, \bar{a}a\} \end{aligned}$$

805 since the above procedure, when applied to $\bar{a}bc$ and \bar{a} , results in $\bar{a}bc\bar{a} \notin \bar{\Delta}^* \Delta^*$. Then it
 806 is easily verified that $(S, \cup, \odot, \emptyset, \{\varepsilon\})$ is a semiring.

Now let $L \subseteq \Gamma^*$. Define the linear presentation $P = (\lambda, \mu, \gamma)$ of dimension 1 as follows:

$$\begin{aligned} \lambda_1 &= \{c\} \odot L^{\text{rev}} \\ \mu(d)_{11} &= \{\bar{d}\} \text{ for } d \in \Gamma \\ \gamma_1 &= \{\bar{c}\} \end{aligned}$$

807 For $v \in \Gamma^*$, one then obtains

$$(|P|, v) = \{c\} \odot L^{\text{rev}} \odot \{\bar{v}\} \odot \{\bar{c}\} = \begin{cases} \{\varepsilon\} & \text{if } v \in L \\ \emptyset & \text{otherwise.} \end{cases}$$

808 This proves that the characteristic series of L is recognizable for any $L \subseteq \Gamma^*$. To obtain
 809 this fact for any language $L \subseteq \Sigma^*$, let $h: \Sigma^* \rightarrow \Gamma^*$ be an injective homomorphism. Then

$$\mathbb{1}_L = \mathbb{1}_{h(L)} \circ h$$

810 which is recognizable by Lemma 6.2(1). □

811 An open problem is to characterize those (non-commutative) semirings S for which
 812 the support of every *characteristic* and recognizable series is regular.

813 10 Further results

814 Above, we could only touch on a few selected topics from the rich area of weighted
 815 automata. In this section, we wish to give pointers to many other research results and
 816 directions. For details as well as further topics, we refer the reader to the books [43,
 817 96, 72, 10, 94] and to the recent handbook [31] with extensive surveys including open
 818 problems.

819 **Recognizability** Some authors use linear presentations to define recognizable series [10,
 820 76].

821 The transition relation of weighted automata given in this chapter can alternatively be
 822 considered as a $Q \times Q$ -matrix whose entries are functions from Σ to S (cf. [93, Section 6]).
 823 A more general approach is presented in [95, 94] where the entries are functions from Σ^*
 824 to S . Here, the free monoid Σ^* can even be replaced by an arbitrary monoid with a length
 825 function.

826 The surveys [45, 47, 48] contain an axiomatic treatment of iteration and weighted
 827 automata using the concept of Conway semirings (i.e., semirings equipped with a suitable
 828 $*$ -operation).

829 The abovementioned books contain many further properties of recognizable series
 830 including minimization, Fatou-properties, growth behavior, relationship to coding, and
 831 decidability and undecidability results.

832 The coincidence of aperiodic, starfree, and first-order definable languages [98, 81]
 833 has counterparts in the weighted setting [26, 27] for suitable semirings. An open problem
 834 would be to investigate the relationship between dot-depth and quantifier-alternation (as
 835 in [102] for languages). Recently, the expressive power of weighted pebble automata
 836 and nested weighted automata was shown to equal that of a weighted transitive closure
 837 logic [12].

838 Recall that the distributivity of semirings permitted us to employ representations and
 839 algebraic proofs for many results. Using automata-theoretic constructions, one can obtain
 840 Kleene and Büchi type characterizations of recognizable series for strong bimonoids [40]
 841 which can be viewed as semirings without distributivity assumption, also cf. [34].

842 **Weighted pushdown automata** A huge amount of research has dealt with weighted
 843 versions of pushdown automata and of context-free grammars. The books [96, 72] and
 844 the chapters [70, 88] survey the theory and also infer purely language-theoretic decid-
 845 ability results on unambiguous context-free languages. The list of equivalent formalisms
 846 (weighted pushdown automata, weighted context-free grammars, systems of algebraic
 847 equations) has recently been extended by a weighted logic [80].

848 **Quantitative automata** Motivated by practical questions on the behavior of technical
 849 systems, new kinds of behaviors of weighted automata have been investigated [21, 20].
 850 E.g., the run weight of a path could be the average of the weights of the transitions.
 851 Various decidability and undecidability results, closure properties, and properties of the
 852 expressive powers of these models have been established [21, 20, 34, 33, 82, 40]. An
 853 axiomatic investigation of such automata using Conway hemirings is given in [30]. A
 854 Chomsky-Schützenberger result for quantitative pushdown automata is obtained in [41].

855 **Discrete structures** Weighted tree automata and transducers have been investigated,
 856 e.g., for program analysis and transformation [99] and for description logics [6]. Their in-
 857 vestigation, e.g. [9, 15, 16, 71, 39], was also guided by results on weighted word automata
 858 and on tree transducers, for an extensive survey see [52].

859 Distributed behaviors can be modelled by Mazurkiewicz traces. The well-established
 860 theory of recognizable languages of traces [23] has a weighted counterpart including a
 861 weighted distributed automaton model [50].

862 Automata models for other discrete structures like pictures [53], nested words [4], and
 863 texts [42, 60], have been studied extensively. Corresponding weighted automata models
 864 and their expressive power have been investigated in [49, 80, 79, 37, 90, 24].

865 **Infinite words** Weighted automata on infinite words were investigated for image pro-
 866 cessing [106] and used as devices to compute real functions [105]. A discounting pa-
 867 rameter was employed in [32, 38] in order to calculate the run weight of an infinite
 868 path. This led to Kleene-Schützenberger and logical descriptions of the resulting be-
 869 haviors. Alternatively, semirings with infinitary sum and product operations allow us
 870 to define the behavior analogously to the finitary case and to obtain corresponding re-
 871 sults [46, 28]. Also the quantitative automata from above have been investigated for
 872 infinite words employing, e.g., accumulation points of averages to define the run weight
 873 of infinite paths [21, 20, 34, 33, 82]. The behaviors of these automata also fit into the
 874 framework of Conway hemirings [25]. Weighted Muller automata on ω -trees were stud-
 875 ied in [6, 91, 78].

876 **Applications** Since the early 90s, weighted automata have been used for compressed
 877 representations of images and movies which led to various algorithms for image transfor-
 878 mation and processing, cf. [62, 1] for surveys.

879 Practical tools for multi-valued model checking have been developed based on weigh-
 880 ted automata over De Morgan algebras, cf. [22, 17, 73]. De Morgan algebras are particular
 881 bounded distributive lattices and therefore locally finite semirings. Weighted automata
 882 have also been crucially used to automatically prove termination of rewrite systems, cf.
 883 [107] for an overview.

884 In network optimization problems, one often employs the max-plus-semiring $(\mathbb{R} \cup$
 885 $\{-\infty\}, \max, +, -\infty, 0)$, see [76] in this Handbook.

886 For quantitative evaluations, reachability questions, and scheduling optimization in
 887 real-time systems, timed automata with cost and multi-cost functions form a vigorous
 888 current research field [7, 5, 14, 13]. Rational and logical descriptions of weighted timed
 889 and of multi-weighted automata were given in [37, 90, 36, 35].

890 In natural language processing, an interesting strand of applications is developing
891 where weighted tree automata play a central role, cf. [68, 77] for surveys. Toolkits for
892 handling weighted automata models are described in [67, 2]. A survey on algorithms for
893 weighted automata with references to many further applications is given in [84].

894 We close with three examples where weighted automata were employed to solve long-
895 standing open questions in language theory. First, the equivalence of deterministic multi-
896 tape automata was shown to be decidable in [58], cf. also [95]. Second, the equality
897 of an unambiguous context-free language and a regular language can be decided using
898 weighted pushdown automata [100], cf. also [86]. Third, the decidability and complexity
899 of determining the star-height of a regular language were determined using a variant of
900 weighted automata [59, 64].

901 References

- 902 [1] J. Alur and J. Kari. Digital image compression. In Droste et al. [31], chapter 11.
903 [2] C. Allauzen, M. Riley, J. Schalkwyk, W. Skut, and M. Mohri. Openfst: a general and efficient
904 weighted finite-state transducer library. In *CIAA'07*, Lecture Notes in Computer Science
905 vol. 4783, pages 11–23. Springer, 2007.
906 [3] S. Almagor, U. Boker, and O. Kupferman. What’s decidable about weighted automata? In
907 *ATVA 2011*, Lecture Notes in Computer Science vol. 6996, pages 482–491. Springer, 2011.
908 [4] R. Alur and P. Madhusudan. Adding nesting structure to words. *Journal of the ACM*, 56:1–
909 43, 2009.
910 [5] R. Alur, S. L. Torre, and G. Pappas. Optimal paths in weighted timed automata. *Theoretical*
911 *Computer Science*, 318:297–322, 2004.
912 [6] F. Baader and R. Peñaloza. Automata-based axiom pinpointing. *Journal of Automated Rea-*
913 *soning*, 45(2):91–129, 2010.
914 [7] G. Behrmann, A. Fehnker, T. Hune, K. Larsen, P. Pettersson, J. Romijn, and F. Vaandrager.
915 Minimum-cost reachability for priced timed automata. In *HSCC'01*, Lecture Notes in Com-
916 puter Science vol. 2034, pages 147–161. Springer, 2001.
917 [8] J. Berstel. *Transductions and Context-Free Languages*. Teubner Studienbücher, Stuttgart,
918 1979.
919 [9] J. Berstel and C. Reutenauer. Recognizable formal power series on trees. *Theoretical Com-*
920 *puter Science*, 18:115–148, 1982.
921 [10] J. Berstel and C. Reutenauer. *Rational Series and Their Languages*. Springer, 1988. An aug-
922 mented and updated version appeared as *Noncommutative Rational Series With Applications*,
923 Cambridge University Press, 2010.
924 [11] B. Bollig and P. Gastin. Weighted versus probabilistic logics. In V. Diekert and D. Nowotka,
925 editors, *Developments in Language Theory*, Lecture Notes in Computer Science vol. 5583,
926 pages 18–38. Springer Berlin / Heidelberg, 2009.
927 [12] B. Bollig, P. Gastin, B. Monmege, and M. Zeitoun. Pebble weighted automata and weighted
928 logics. *ACM Transactions on Computational Logic*, 15(2:15), 2014.
929 [13] P. Bouyer, E. Brinksma, and K. Larsen. Optimal infinite scheduling for multi-priced timed
930 automata. *Formal Methods in System Design*, 32:3–23, 2008.

- 931 [14] P. Bouyer, U. Fahrenberg, K. Larsen, N. Markey, and J. Srba. Infinite runs in weighted timed
932 automata with energy constraints. In *FORMATS'08*, Lecture Notes in Computer Science
933 vol. 5215, pages 33–47. Springer, 2008.
- 934 [15] S. Bozapalidis. Effective construction of the syntactic algebra of a recognizable series on
935 trees. *Acta Informatica*, 28:351–363, 1991.
- 936 [16] S. Bozapalidis. Representable tree series. *Fundamenta Informaticae*, 21:367–389, 1994.
- 937 [17] G. Bruns and P. Godefroid. Model checking with multi-valued logics. In *ICALP'04*, Lecture
938 Notes in Computer Science vol. 3142, pages 281–293. Springer, 2004.
- 939 [18] J. R. Büchi. Weak second-order arithmetic and finite automata. *Z. Math. Logik Grundlagen*
940 *Math.*, 6:66–92, 1960.
- 941 [19] R. G. Bukharaev. *Theorie der stochastischen Automaten*. Teubner, 1995.
- 942 [20] K. Chatterjee, L. Doyen, and T. Henzinger. Expressiveness and closure properties for quan-
943 titative languages. *Logical Methods in Computer Science*, 6(3:10):1–23, 2010.
- 944 [21] K. Chatterjee, L. Doyen, and T. Henzinger. Quantitative languages. *ACM Transactions on*
945 *Computational Logic*, 11:4, 2010.
- 946 [22] M. Chechik, B. Devereux, and A. Gurfinkel. Model-checking infinite state-space systems
947 with fine-grained abstractions using SPIN. In *SPIN'01*, Lecture Notes in Computer Science
948 vol. 2057, pages 16–36. Springer, 2001.
- 949 [23] V. Diekert and G. Rozenberg, editors. *The Book of Traces*. World Scientific Publ. Co., 1995.
- 950 [24] M. Droste and S. Dück. Weighted automata and logics for infinite nested words. In *LATA*,
951 Lecture Notes in Computer Science vol. 8370, pages 323–334. Springer, 2014.
- 952 [25] M. Droste, Z. Ésik, and W. Kuich. Conway and iteration hemirings, parts 1 and 2. *Int. J. of*
953 *Algebra and Computation*, 24:461–482 and 483–513, 2014.
- 954 [26] M. Droste and P. Gastin. Weighted automata and weighted logics. *Theoretical Computer*
955 *Science*, 380:69–86, 2007.
- 956 [27] M. Droste and P. Gastin. On aperiodic and star-free formal power series in partially com-
957 muting variables. *Theory Comput. Syst.*, 42(4):608–631, 2008.
- 958 [28] M. Droste and P. Gastin. Weighted automata and weighted logics. In Droste et al. [31],
959 chapter 5.
- 960 [29] M. Droste and W. Kuich. Semirings and formal power series. In Droste et al. [31], chapter 1.
- 961 [30] M. Droste and W. Kuich. Weighted finite automata over hemirings. *Theoretical Computer*
962 *Science*, 485:38–48, 2013.
- 963 [31] M. Droste, W. Kuich, and H. Vogler, editors. *Handbook of Weighted Automata*. EATCS
964 Monographs in Theoretical Computer Science. Springer, 2009.
- 965 [32] M. Droste and D. Kuske. Skew and infinitary formal power series. *Theoretical Computer*
966 *Science*, 366:199–227, 2006.
- 967 [33] M. Droste and I. Meinecke. Weighted automata and regular expressions over valuation
968 monoids. *Intern. J. of Foundations of Comp. Science*, 22:1829–1844, 2011.
- 969 [34] M. Droste and I. Meinecke. Weighted automata and weighted mso logics for average- and
970 longtime-behaviors. *Information and Computation*, 220-221:44–59, 2012.
- 971 [35] M. Droste and V. Perevoshchikov. Multi-weighted automata and MSO logic. In *CSR*, Lecture
972 Notes in Computer Science vol. 7913, pages 418–430. Springer, 2013.

- 973 [36] M. Droste and V. Perevoshchikov. A Nivat theorem for weighted timed automata and
974 weighted relative distance logic. In *ICALP*, Lecture Notes in Computer Science vol. 8573,
975 pages 171–182. Springer, 2014.
- 976 [37] M. Droste and K. Quaas. A Kleene-Schützenberger theorem for weighted timed automata.
977 *Theoretical Computer Science*, 412:1140–1153, 2011.
- 978 [38] M. Droste and G. Rahonis. Weighted automata and weighted logics with discounting. *The-*
979 *oretical Computer Science*, 410:3481–3494, 2009.
- 980 [39] M. Droste and H. Vogler. Weighted logics for unranked tree automata. *Theory of Computing*
981 *Systems*, 48:23–47, 2011.
- 982 [40] M. Droste and H. Vogler. Weighted automata and multi-valued logics over arbitrary bounded
983 lattices. *Theoretical Computer Science*, 418:14–36, 2012.
- 984 [41] M. Droste and H. Vogler. A Chomsky-Schützenberger theorem for quantitative context-free
985 languages. In *DLT*, Lecture Notes in Computer Science vol. 7907, pages 203–214. Springer,
986 2013.
- 987 [42] A. Ehrenfeucht and G. Rozenberg. T-structures, T-functions, and texts. *Theoretical Com-*
988 *puter Science*, 116:227–290, 1993.
- 989 [43] S. Eilenberg. *Automata, Languages, and Machines*, volume A. Academic Press, 1974.
- 990 [44] C. C. Elgot. Decision problems of finite automata design and related arithmetics. *Trans.*
991 *Amer. Math. Soc.*, 98:21–51, 1961.
- 992 [45] Z. Ésik. Fixed point theories. In Droste et al. [31], chapter 2.
- 993 [46] Z. Ésik and W. Kuich. A semiring-semimodule generalization of ω -regular languages I+II.
994 *Journal of Automata, Languages and Combinatorics*, 10:203–242 and 243–264, 2005.
- 995 [47] Z. Ésik and W. Kuich. Finite automata. In Droste et al. [31], chapter 3.
- 996 [48] Z. Ésik and W. Kuich. A unifying Kleene theorem for weighted finite automata. In
997 C. Calude, G. Rozenberg, and A. Salomaa, editors, *Rainbow of Computer Science*, pages
998 76–89. Springer, 2011.
- 999 [49] I. Fichtner. Weighted picture automata and weighted logics. *Theory of Computing Systems*,
1000 48(1):48–78, 2011.
- 1001 [50] I. Fichtner, D. Kuske, and I. Meinecke. Traces, series-parallel posets, and pictures: A
1002 weighted study. In Droste et al. [31], chapter 10.
- 1003 [51] M. Fliess. Matrices de Hankel. *Journal de Mathématiques Pures et Appliquées*, 53:197–222,
1004 1974. Erratum in: *Journal de Mathématiques Pures et Appliquées*, 54:481, 1976.
- 1005 [52] Z. Fülöp and H. Vogler. Weighted tree automata and tree transducers. In Droste et al. [31],
1006 chapter 9.
- 1007 [53] D. Giammarresi, A. Restivo, S. Seibert, and W. Thomas. Monadic second-order logic over
1008 rectangular pictures and recognizability by tiling systems. *Inform. and Comput.*, 125:32–45,
1009 1996.
- 1010 [54] J. Golan. *Semirings and their Applications*. Kluwer Academic Publishers, 1999.
- 1011 [55] S. Gottwald. *A Treatise on Many-Valued Logics*, volume 9 of *Studies in Logic and Compu-*
1012 *tation*. Research Studies Press, 2001.
- 1013 [56] P. Hájek. *Metamathematics of Fuzzy Logic*. Springer, 1998.
- 1014 [57] T. Harju and J. Karhumäki. Finite transducers and rational transductions. In *This volume*.

- 1015 [58] T. Harju and J. Karhumäki. The equivalence problem of multitape finite automata. *Theoretical Computer Science*, 78:347–255, 1991.
1016
- 1017 [59] K. Hashigushi. Improved limitedness theorem on finite automata with distance functions. *Theoretical Computer Science*, 72:27–38, 1990.
1018
- 1019 [60] H. Hoogeboom and P. ten Pas. Monadic second-order definable text languages. *Theory Comput. Syst.*, 30(4):335–354, 1997.
1020
- 1021 [61] G. Jacob. Représentations et substitutions matricielles dans la théorie algébrique des transductions. Thèse Sci. Math. Univ. Paris VII, 1975.
1022
- 1023 [62] J. Kari. Image processing using finite automata. In Z. Ésik, C. M. Vide, and C. Mitrana, editors, *Recent Advances in Formal Languages and Applications*, Studies in Computational Intelligence, pages 171–208. Springer, 2006.
1024
1025
- 1026 [63] B. Khossainov and A. Nerode. *Automata Theory and Its Applications*. Birkhäuser Boston, 2001.
1027
- 1028 [64] D. Kirsten. Distance desert automata and the star height problem. *RAIRO*, 39(3):455–509, 2005.
1029
- 1030 [65] D. Kirsten. The support of a recognizable series over a zero-sum free, commutative semiring is recognizable. *Acta Cybern.*, 20(2):211–221, 2011.
1031
- 1032 [66] D. Kirsten. An algebraic characterization of semirings for which the support of every recognizable series is recognizable. *Theoretical Computer Science*, 534:45–52, 2014.
1033
- 1034 [67] K. Knight and J. May. Tiburon: A weighted tree automata toolkit. In *CIAA’06*, Lecture Notes in Computer Science vol. 4094, pages 102–113. Springer, 2006.
1035
- 1036 [68] K. Knight and J. May. Applications of weighted automata in natural language processing. In Droste et al. [31], chapter 14.
1037
- 1038 [69] D. Krob. The equality problem for rational series with multiplicities in the tropical semiring is undecidable. *International Journal of Algebra and Computation*, 4(3):405–425, 1994.
1039
- 1040 [70] W. Kuich. Semirings and formal power series: their relevance to formal languages and automata. In *Handbook of Formal Languages, vol. 1: Word, Language, Grammar*, pages 609–677. Springer, 1997.
1041
1042
- 1043 [71] W. Kuich. Tree transducers and formal tree series. *Acta Cybernetica*, 14:135–149, 1999.
- 1044 [72] W. Kuich and A. Salomaa. *Semirings, Automata, Languages*, volume 5 of *EATCS Monographs in Theoretical Computer Science*. Springer, 1986.
1045
- 1046 [73] O. Kupferman and Y. Lustig. Lattice automata. In *VMCAI’07*, Lecture Notes in Computer Science vol. 4349, pages 199–213. Springer, 2007.
1047
- 1048 [74] D. Kuske. Schützenberger’s theorem on formal power series follows from Kleene’s theorem. *Theoretical Computer Science*, 401:243–248, 2008.
1049
- 1050 [75] C. Löding and W. Thomas. Automata on finite trees. In *This volume*.
- 1051 [76] S. Lombardy and J. Mairesse. Max-plus automata. In *This volume*.
- 1052 [77] A. Maletti. Survey: Weighted extended top-down tree transducers — part II: Application in machine translation. *Fundam. Inform.*, 112(2–3):239–261, 2011.
1053
- 1054 [78] E. Mandrali and G. Rahonis. Recognizable tree series with discounting. *Acta Cybernetica*, 19:411–439, 2009.
1055
- 1056 [79] C. Mathissen. Definable transductions and weighted logics for texts. *Theoretical Computer Science*, 411(3):631–659, 2010.
1057

- 1058 [80] C. Mathissen. Weighted logics for nested words and algebraic formal power series. *Logical*
1059 *Methods in Computer Science*, 6(1:5):1–34, 2010.
- 1060 [81] R. McNaughton and S. A. Papert. *Counter-Free Automata*. M.I.T. research monograph no.
1061 65. The MIT Press, 1971.
- 1062 [82] I. Meinecke. Valuations of weighted automata: Doing it in a rational way. In W. Kuich and
1063 G. Rahonis, editors, *Algebraic Foundations in Computer Science*, Lecture Notes in Computer
1064 Science vol. 7020, pages 309–346. Springer, 2011.
- 1065 [83] M. Minsky. Recursive unsolvability of Post’s problem of ‘tag’ and other topics in theory of
1066 Turing machines. *Annals of Mathematics*, 74(3):437–455, 1961.
- 1067 [84] M. Mohri. Weighted automata algorithms. In Droste et al. [31], chapter 6.
- 1068 [85] M. Nivat. Transductions des langages de Chomsky. *Ann. de l’Inst. Fourier*, 18:339–456,
1069 1968.
- 1070 [86] A. Panholzer. Gröbner bases and the defining polynomial of a context-free grammar gen-
1071 erating function. *Journal of Automata, Languages and Combinatorics*, 10(1):79–97, 2005.
- 1072 [87] A. Paz. *Introduction to Probabilistic Automata*. Academic Press, 1971.
- 1073 [88] I. Petre and A. Salomaa. Algebraic systems and pushdown automata. In Droste et al. [31],
1074 chapter 7.
- 1075 [89] J.-E. Pin. Finite automata. In *This volume*.
- 1076 [90] K. Quaas. MSO logics for weighted timed automata. *Formal Methods in System Design*,
1077 38(3):193–222, 2011.
- 1078 [91] G. Rahonis. Weighted Muller tree automata and weighted logics. *Journal of Automata,*
1079 *Languages and Combinatorics*, 12(4):455–483, 2007.
- 1080 [92] A. Restivo and C. Reutenauer. On cancellation properties of languages which are supports
1081 of rational power series. *J. Comput. Syst. Sci.*, 29(2):153–159, 1984.
- 1082 [93] J. Sakarovitch. Automata and rational expressions. In *This volume*.
- 1083 [94] J. Sakarovitch. *Elements of Automata Theory*. Cambridge University Press, 2009.
- 1084 [95] J. Sakarovitch. Rational and recognisable power series. In Droste et al. [31], chapter 4.
- 1085 [96] A. Salomaa and M. Soittola. *Automata-Theoretic Aspects of Formal Power Series*. Texts
1086 and Monographs in Computer Science. Springer, 1978.
- 1087 [97] M. P. Schützenberger. On the definition of a family of automata. *Inf. Control*, 4:245–270,
1088 1961.
- 1089 [98] M. P. Schützenberger. On finite monoids having only trivial subgroups. *Inf. and Control*,
1090 8:190–194, 1965.
- 1091 [99] H. Seidl. Finite tree automata with cost functions. *Theoret. Comput. Sci.*, 126(1):113–142,
1092 1994.
- 1093 [100] A. Semenov. Algoritmicheskie problemy dlja stepennykh rjadov i kontekst-nosvobodnykh
1094 grammatik. *Dokl. Akad. Nauk SSSR*, 212:50–52, 1973.
- 1095 [101] E. D. Sontag. On some questions of rationality and decidability. *Journal of Computer and*
1096 *System Sciences*, 11(3):375–381, 1975.
- 1097 [102] W. Thomas. Classifying regular events in symbolic logic. *Journal of Computer and System*
1098 *Sciences*, 25:360–376, 1982.
- 1099 [103] W. Thomas. Languages, automata, and logic. In G. Rozenberg and A. Salomaa, editors,
1100 *Handbook of Formal Languages*, pages 389–455. Springer Verlag, 1997.

- 1101 [104] B. Trakhtenbrot. Finite automata and logic of monadic predicates (in Russian). *Doklady*
1102 *Akademii Nauk SSSR*, 140:326–329, 1961.
- 1103 [105] K. Čulik II and J. Karhumäki. Finite automata computing real functions. *SIAM J. of Com-*
1104 *puting*, pages 789–814, 1994.
- 1105 [106] K. Čulik II and J. Kari. Image compression using weighted finite automata. *Computer and*
1106 *Graphics*, 17(3):305–313, 1993.
- 1107 [107] J. Waldmann. Automatic termination. In R. Treinen, editor, *RTA*, volume 5595 of *Lecture*
1108 *Notes in Computer Science*, pages 1–16. Springer, 2009.
- 1109 [108] H. Wang. On characters of semirings. *Houston J. Math*, 23(3):391–405, 1997.
- 1110 [109] W. Wechler. *The Concept of Fuzzyness in Automata and Language Theory*. Akademie
1111 Verlag, Berlin, 1978.